



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

LANE MEDICAL LIBRARY STANFORD
L295 A42 1885
Clinical lectures. On scrofulous neck /



24503318203

CLINICAL LECTURES

ON

SCROFULOUS NECK

BY

T. CLIFFORD ALLBUTT M.D.

ON

SURGERY OF SCROFULOUS GLANDS

BY

T. PRIDGIN TEALE F.R.C.S

L295
A42
1885

240


LANE

MEDICAL



LIBRARY

LEVI COOPER LANE FUND



21-10-2

CLINICAL LECTURES

ON

SCROFULOUS NECK

BY

T. CLIFFORD ALLBUTT, M.A., M.D. Cantab., F.R.S., F.R.C.P.

Consulting Physician to the Leeds General Infirmary


LANE LIBRARY
AND ON THE

SURGERY OF SCROFULOUS GLANDS

BY

T. PRIDGIN TEALE, M.A., M.B. Oxon., F.R.C.S.

Consulting Surgeon to the Leeds General Infirmary



LONDON

J. & A. CHURCHILL

11, NEW BURLINGTON STREET

1885

B

LAUREL LIBRARY

L295
A42
1885

ON SCROFULOUS NECK.

GENTLEMEN,—The malady which will occupy our attention to-day* has arrested the attention of physicians from the earliest times of which we have any definite record to the present moment. So far as we may judge from the evidence before us, no age and no race of men in our own Continent have been beyond the reach of scrofula; all civilised men have striven with it, all kinds of remedies, rational or fantastic, have been set against it; kings and queens have willed the cure of princes and philosophers, as well as of humbler folk; images have been carried before patients in vain, lustral waters sprinkled in vain, and we doctors have to take up a task which is beyond the touch of kings or the conjurations of priests.

That the ugly finger of scrofula should be laid chiefly upon children, young men, and maidens, has this pathos in it, that it disfigures them at the spring-time of life—at that time when hope and promise make all life precious, and all death seem the loss of untold treasure; when beauty and gaiety have their fleeting day, and for the loss of them the world is poorer.

Eagerly, then, do we desire to disperse this evil burden, and to restore health and symmetry to the sufferers.

It is well known to most of you that scrofulous neck for the ancients made up the whole of “scrofula,” a name derived from the scrofous or sow-like fulness which it imparts to the neck and jaws of the patient.† The Greek word *χολπας*, in like manner, signifies both the animal and the disease. Dr. Philemon Holland, in his translation of Pliny, early in

* This lecture is one of an extra academical course given to undergraduates and graduates alike by the Consulting Staff of the Leeds Infirmary.

† Littré says the term comes from the fact that swine are subject to a like disease.

the 17th century, says that "A cataplasma of leaves and hog's grease incorporate together doth resolve the scrophules or swelling kernels called the 'King's evil'"—a medication derived from the doctrine of signatures, from the notion, that is, that natural objects often bear superficial similarities stamped thereon by an ingenious Providence as a means of indicating therapeutical affinities. In later times, however, we have given a larger meaning to the word scrofula. We no longer mean by it solely the neck of scrofula, but we include under that term a series—or supposed series—of morbid phenomena significant of a definite diathesis or supposed diathesis. It has been widely asserted that scrofulous neck, as one of these phenomena, cannot possibly occur out of the diathesis; that, say a gouty or dartrous person is incapable of scrofulous neck, and that scrofulous neck can be developed only in persons of a certain specific quality of body called scrofulous, and as a member of a series called "scrofula." Other members of the series are the impetiginous eczema of children, recurrent pituitous catarrhs on the mucous surfaces at all ages, certain glandular inflammations in youth and adolescence, certain diseases of bone likewise, and finally, certain quartenary or visceral degradation of a sub-inflammatory kind, all of which affections are marked by the issue of a more or less corrupt kind of pus, and a defect of healing impulse which Virchow has called a vulnerability of tissue. A certain primary conformation of body is also said to be the heritage of scrofulous persons; that in childhood they have a certain grossness of parts which vainly flatters the maternal eye; and in age, likewise, the same bigness without quality, of which the great lexicographer is the familiar instance.

It appears to me that these diathesis cannot be classified like dogs and cats, but they rather represent aberrations from the normal, which in their minor obliquities can scarcely be regarded as beyond the latitude of sanity. The wider the obliquity, however, the more several become the diathesis both from each other and from the path of health, and their qualities and movements more proper for definition and pre-

diction. The scrofulous diathesis is well marked when a patient in babyhood has scald head with associated cervical buboes; in youth, scrofulous neck; in adolescence, a white knee; and in adult life, catarrhal phthisis. If, however, we have a broken series, or still more if one of these phenomena occur alone in a life or even in a generation, the patient perhaps having no definite sign in scrofulous feature or proportion—and such cases often meet us in practice—then how are we always to agree with our learned colleagues who will not admit that scrofula can occur except in the originally scrofulous.

The argument would thus take this unprofitable form: Certain diseases can only occur in scrofulous persons, and because these diseases occur in them, therefore they are scrofulous. For my part I cannot regard scrofula as an *alterum quid*—a new quality of the body, as we regard syphilis—it seems, as I have said already, to be rather a deflection which may be induced by influences wholly external, and under these influences may manifest itself in an inferior healing power. That on the other hand, in the large majority of cases, a “vulnerability of tissue” is an inherited defect, and that an especial vulnerability of lymphatic glands runs in families is not to be denied, for such defects betray the original bad habit even under circumstances the most favourable. To deal then with scrofulous neck alone, as our subject for to-day, I believe that this disease may be produced in persons originally of healthy habit and of healthy stock if their external circumstances, or some of them, be sufficiently adverse, but that a disposition to such disease is more commonly inherited, and the greater the inborn frailty, the more readily will adverse circumstances produce it. In some persons, doubtless, the inborn frailty is such that the pressures and variations of ordinary conditions do not fail to initiate mischief in them.

Scrofulous neck is of course but one part of the glandular disease which may and often does invade the scrofulous subject. It is the most striking part, because in the neck and under the jaw it is evident, and destructive of beauty and

symmetry. It is also an early site for such outbreaks, appearing usually there before it may appear in the axilla or in the groin. Until later times, when pathological dissections became more common, the frequency of like caseation in thoracic or mediastinal glands, was scarcely realised, and still at the present day these inner changes are too obscure for popular discernment, and not uncommonly escape even that of the physician himself. It is a familiar doctrine that in all these cases the enlarged glands are buboes, by which I mean that they are secondary to irritation and absorption on and from their associated mucous surfaces.

Confining our attention, then, to scrofulous neck, we have learnt that chronic inflammatory enlargement of the glands of the neck is secondary to irritations in the associated mucous surfaces, and absorptions from them; the chief of these being the mouth and throat, and the next in order the nasal, aural and ocular surfaces. Irritations indeed upon the skin of the face and head are not without influence in the same direction, so that although the result be less common, yet glandular enlargements of the neck do occasionally owe their irritation to eczematous or other cutaneous disorders. We may feel tolerably sure that although in a given case we may be utterly unable to discover a peripheral cause for the enlargement of cervical glands, yet they do not, under the influence of this diathesis at any rate, enlarge "of themselves," but only in obedience to some peripheral irritation which may belong wholly to the part. When the scrofulous diathesis is well marked the glandular expansion may be so enormously out of proportion to the initiating peripheral cause that this latter, if fugitive, may never be measured nor even perceived. Now these considerations, although taught by every thoughtful clinician, do not sink into the mind nor exercise the observation of the medical public so thoroughly as they ought to do. No competent observer would overlook such an obvious peripheral cause, for instance, as eczema capitis, scarlatinal sore throat, flux from the external meatus, and so forth; but I think the daily and hourly activity of the pharyngeal

mucous membrane is not vividly realised in this matter. The mucous lining of the pharynx is a kind of screening machine which catches upon its moist surface and intercepts all that dust, organic and inorganic, which is drawn in with the air. Hence we know that these surfaces are constantly seeded with particles, many of them germinal, and not a few of them poisonous. Happily the membrane in its healthy state throws them off and allows no settlement to be made nor any germination to take place. All particles are promptly arrested and re-conveyed beyond the portals of the mouth, or consigned harmless to the stomach, and no local irritation arises on the surface nor any sympathetic change in the glands. But let us suppose for a moment that this mucous covering is something less than healthy. We know that in scrofulous persons the mucous membranes are not very sound nor resisting; the mucous they secrete is not very stable, but is liable to slip down into chemically lower degrees, and into degenerative cell changes. Herein the fermenting or irritating particles find a food or a soil in which they work after their kind, and thus, even unperceived, the fluids of the throat become, when absorbed, the vehicle of poison to the lymphatic glands adjoining. It is, perhaps, not necessary that the mucous surface be absolutely broken. Certain variations of moisture or density may suffice to favour absorption even through an unbroken surface. Let there be a trifling delay or languor of the epithelial function, and particles mechanically, chemically or vitally irritant will imbed themselves in the soft and absorbent vesture of the pharynx, and be themselves carried within or generate poisons upon the surface which are drawn inward. Again, by some vital mechanics a chill to the skin may disturb the nutrition of the membrane; if this occur in aseptic air, at sea, for instance, even the scrofulous subject may be quit for a cynanche; if it occur in foul air, but in a vigorous person, the mucous membrane may overpower the evil as strong turnips outgrow the fly. Again, in the glands themselves a temporary irritation may subside if the conditions of life be favourable, or on the other hand, may progress under adverse

circumstances, or in vulnerable constitutions. But the surface may be broken, broken but lightly and transiently, so lightly and transiently that he who seeks for the breach may fail to find it, yet a breach deep enough and enduring enough to set up that proliferation in the glands behind it, which, in the scrofulous person, has no tendency to heal. Given the "vulnerability" it will suffice to start the process, it will suffice to admit the match to the heap, and the fire will smoulder on thereafter of its own activity. If we think then of the rain of organic particles falling incessantly by way of nose and mouth upon the lining of the pharynx in those of us who live under the purest physical conditions, the wonder will be not that scrofulous neck is generated, but that so many of us escape it. Given but a broken surface in the healthiest person and a sufficiently prolonged exposure to organic particles, and it seems certain that your scrofulous neck must at some point arise unless an originally high vitality be constantly favoured by healthful habits and surroundings otherwise healthful.

As among the less fortunate of mankind there must always be multitudes whose vitality and general resisting power are, on the other hand, constantly depressed, and who are at the same time breathing constantly an air laden heavily with impurities, we do not wonder that scrofulous neck has been a common and mischievous result, nor that a pure air and wholesome dwelling-place have been regarded as the chief means of cure. One source of impurity the scrofulous rich and poor enjoy in common—that is, the drain and the cesspool. Herein the rich have no advantage over the poor, indeed, herein, the richer classes fare perhaps worse than the poor, who often lack those gifts of civilisation, and are vulgarly content to cast forth their ordure to the sun and the winds. If I may make a guess on a matter of which I can know nothing definitely, I would guess that the emanations from foul drains are the unseen carriers of scrofulous neck to the greater part of its victims in the richer classes. It seems as if it must be so. No influence is so potent to lower general vitality, and no poison finds so readily its

home in the pharynx. Drain throat has become a common term in the last few years, and every day we recognise such throats by their appearance alone. In these cases the superficial mischief is ample and patent; but in how many more is it, although slighter and milder, yet strong enough and baneful enough to set up unhealthy buboes in persons thereto disposed! The question thus, in my view, is reduced to one of the degree, duration and kind of local irritation acting upon subjects vulnerable in all degrees. When heredity is dominant local causation may take, no doubt, a lower place; where heredity is less, local causation is more, and where it is absent local causation rules for a time alone. Next to that of the mouth, gums, and throat, the mucous lining of the ear seems to be most ready to propagate secondary mischief in the cervical glands. It seems probable that in all cases the irritation is first propagated from the mucous surface to the minute nodules of lymphatic tissue which lie immediately under the mucous membranes, and that from these the evil is forwarded to intermediate lymph centres, and thus to the principal lymph glands in the neck. These, which in the normal state are barely palpable, gradually enlarge and succeed each other in chains, not larger at first than shot, but some of them ultimately increasing to the size of walnuts, or even of a small orange. At first the glands, on section, show no caseation, but a pale transparent and uniform section. Neither at this stage, nor afterwards, is there any symmetry of disease between the two sides of the neck. In this stage the glands may return to the natural state, the hyperplastic material being re-absorbed.

✓ If the malady progress, however, caseation begins at multiple centres within each gland, which centres become fused, until the whole gland becomes a cheesy mass. In the first stage it would be difficult, and, without collateral evidence, perhaps impossible, to distinguish scrofulous glands from those of lymph-adenoma. But as the infection becomes more distinctly inflammatory the diagnosis clears itself even to the explorer's finger. These bodies are no longer, as in lymph-adenoma, isolated, freely moveable, uniform and

painless, but soon they form adhesions to the surrounding tissues and to each other; they become tender on pressure, and slight nodulation of their surfaces is to be noticed. The same contrast helps us to distinguish these scrofulous glands from enlargements far more likely to embarrass our diagnosis, namely, from the albuminoid glands of rickets. The aspect of the scrofulous child, however, is rarely to be mistaken for that of the rickety, nor has it the peculiar chlorotic skin of the latter.

Once more: we have hitherto considered the mucous membrane as peripheral to the lymphatic system; let us now call to mind the like effect which would be produced by some one degenerate gland as peripheral to the rest. I have proved, or had proved for me by the revelations of the surgeon's scalpel, that a forgotten surface irritation may have inflamed a few glands and have passed away; the glands themselves likewise passing away so far as the eye and hand could tell, but not altogether. One small, and perhaps deep-seated, enlargement may remain—a lump not larger than a pea—this may slowly caseate, and, in the course of months, or possibly of years, become the focus of spreading poison to others; new activities then come on, successive glands in their turn enlarge and caseate, and scrofulous neck becomes established as a secondary event long after the primary affection of the mucous surface has disappeared and been forgotten. Such a state of things would be what lawyers call "consequential damage." Now, here no purification of the mouth, throat, or ear, would avail to remove the trouble, for it comes from a source which is beyond our reach, and even beyond our ken. Such cases of secondary bubonic development are, I believe, very common, and the knowledge of this possible sequence should put us on our guard against any careless dealing, even with the smallest and most isolated bubo. In a scrofulous person it may ultimately be the source of most troublesome mischief.

Now, gentlemen, with your permission, we will pursue this matter a step further.

A short time ago I referred to certain distinctions between

the enlarged cervical glands of scrofula, lymph-adenoma, and of rickets, and some points of distinction then severally noted may be summed up in scrofula as features of chronic inflammation. In it not only do they inflame with a slow destructive process within, but a capsular inflammation extends from gland to gland, matting them together; this, in its turn, propagates inflammation to the cellular tissues and the skin; glands, subcutaneous tissues and cutaneous becoming involved in a general process of low inflammation. We have then chronic caseating adenitis, chronic suppurative cellulitis, and chronic suppurative dermatitis. These inflammations being, as I say, only partially adhesive in nature, and largely necrobiotic, lead not only to the softening of the glands themselves, but to the formation of cellular abscesses, more or less sinuous in distribution, between and around the glandular necrosis. As the glands soften and burst, then a system of channels and pockets, of cells and passages, is formed, some pockets lying deep where glands lay deep under a muscle, such as the sterno-cleido-mastoid, others lying more superficially. From the lower to the upper source channels of communication may be established, or some of the deeper glands may be imprisoned in surrounding adhesions, and their products of degeneration have no outlet. Some glands are partially hyperplastic, with but nodules of caseation; others have softened in part, are caseated in part, and are simply hyperplastic in part. Others have wholly softened, and are represented by pockets of corrupt pus. As the skin is involved and becomes reddened and tender, the outward determination of the morbid products is hastened, the skin gives way, and cellular or glandular abscesses are emptied gradually as the establishment and the drainage of sinuses may permit. Nature thus works some kind of cure, sometimes a perfect cure, sometimes a very partial one; as from deeper glands or cellular abscesses no free issue to the light may ever be established. Some parts of the mass, and these probably the remoter, and therefore the more dangerous, may remain unemptied, and abide in their breaches as means of offence in time to come. Nature's cure is thus seen to be of a

haphazard and unsatisfactory kind. Still, a cure does commonly take place, after years of disease, at the cost of permanent scarring of the neck, and probably at a far greater cost than this. *Nec causas solum sed exitus etiam rerum cognoscere oportet.* We cannot flatter ourselves that the patient is to be quit for his local embarrassment and his scars; his general health suffers, and soon is established the morbid see-saw, feeble tissue vitality admitting the incursions of local poison, and in its turn the local workings farther depressing the systematic health, each thus intensifying the other until the strands of life itself become strained. Septic matters are absorbed into the blood, recurrent and variable hectics dissipate the appetite, flesh, and strength, so that the patient finds himself at the end of it all, if not unsound in his internal organs, at any rate a far worse man than he would have been had this trial been spared him. Yet, even if it be but thus with him, he has still reason for congratulation. But too often a few years of "ecrouelles" means the implantation of the seeds of phthisis, of which disease he may die early. It must not be supposed that death by phthisis will usually spring up in him by virtue of inheritance alone. It supervenes at one time as the result of that general asthenia, that diminution of vital and nutritive values which long suppurations leave behind them, at another time as a consequence of the inoculation of the system with tubercular virus. Our knowledge of the tubercle bacillus is as yet too young to tell us whether scrofulous neck always depends upon the introduction of the tubercle bacillus by way of the mucous membrane of the throat or otherwise—too young, indeed, even to tell us whether the tubercle bacillus is an essential part of scrofulous neck at all. We know that it may be found there, and that scrofulous neck has of late years been regarded as morphologically tubercle, so that we are safe at least on the broad postulate that inoculation from sources of corrupt or caseating pus does very commonly set up a more or less generalised tuberculosis.

Our scrofulous patient, therefore, runs three risks in the

continuance of his local malady over and above his faulty inheritance, namely, first, a tedious local disease, followed by a peculiarly unwelcome disfigurement; secondly, the fear of deterioration of his general health thereby, such that his best years of adolescence are spoiled, and his entrance into manhood thwarted and weakened; thirdly, an inoculation of the system with elements which favour the development of more general tuberculosis. Now, how are we to avoid these evils? In the first place, whenever we have reason to suspect the scrofulous diathesis in young persons, we should secure, as far as possible, under these circumstances, the favour of pure and invigorating air, of sunlight, and of good food. We should most jealously watch the sanitary conditions of the dwelling or school-house, and prevent the possibility of the contact of infected air, water, or milk. We should especially watch the lining of the throat, mouth, ears, and so forth, and stop any tendency to unwholesomeness of the surfaces or secretions of these parts. If children inheriting such tendencies can be placed at the seaside, or in the fresh air of such health resorts as Harrogate, we shall help the growing body to rise above its original defects, and to mould itself on stronger lines. If in some early degree enlargement of the sub-maxillary and cervical glands has already taken place, these precautions will be the more needful. If we find the glands smooth, and free from all nodulations, isolated and non-adhesive, we may almost promise a cure, if the constitution be fairly robust, by a residence at Margate, together with other due cares. Such glands, on the entire removal of baneful outer influences and the promotion of the general health, will probably resolve. The dietary is to be dictated on principles already sufficiently familiar to you all, and cod liver oil will probably form a part of it. Medicines which favour the growth of red blood, and stimulate appetite and digestion, will be added. Of specifics there are few. I am satisfied, however, that the cautious use of mercury, say of the solution of the bichloride with tincture of iron, is desirable, unless the inborn frailty is very marked; and iodides with iron are likewise valuable.

\ External applications should be cautiously used; and in my own practice I have relied but little upon them. At any rate, it is certain that harm may be done by them if not most cautiously and judiciously managed. A well diluted ointment of iodide of mercury in proper cases is the most efficient means of this class.

So long as the glands remain free from adhesions and smooth on the surface, such remedies as the above may suffice to dissipate the malady; the removal to the sea-side being by very far the most potent of them.

\ So soon, however, as the glands become adherent, either to each other or to the surrounding tissues, so soon as they present small nodulations on their surfaces, caseation has begun, softening will succeed, and however great may be the benefits to be bestowed on the general health by climatic and medicinal remedies, yet we cannot at all rely upon the removal of the local mischief by these.

I say we cannot rely upon the removal of it. Not infrequently, indeed, scrofulous necks of some inveteracy and severity have been and are cured by residence at Margate. But such means are not in the power of all people, and if they were, we still stand the risk of ultimate ill success, or the risk of shaking the constitution still farther by a continuance of the disease, and we give greater opportunities for the inoculation of the system with active or dormant tubercle.

\ These considerations, gentlemen, pressed so strongly upon my mind some years ago, that I found for myself a shorter way out of the difficulty, a way which puts an immediate term to the disease, and which abridges what I may call the septic or tubercular opportunities of the malady. These reasonings, and some of their results, were published by Mr. Teale and myself at the International Medical Congress in 1881. I called in the surgeon to my aid on the modern principle of *ubi pus ibi exitus*. Wherever septic material is contained in the system, we rest not till it be expelled, and its burrows laid open and disinfected. The knife has been used hitherto freely enough in scrofulous neck, on the principle laid down by Sir James Paget, namely, to wait till the

skin warms, reddens, and fluctuates, then to make a clean incision, permit simple evacuation of the present matter, but not to squeeze, nor even press, the surrounding parts. We are to wait until a new area of softening be obvious, then repeat the process, and so on. Now, gentlemen, this is palliative surgery, but it is not curative surgery. It scarcely alleviates the cause of the disease; indeed, it does little more than substitute a fine and clean for a foul cicatrix. My proposal is a curative surgery, and it is now founded upon a wide basis of successful instances. It so happened that some of my earlier cases were referred by their friends to Mr. Teale, and consequently he and I so thoroughly discussed the matter together, that we found it convenient to work together in like cases, though I need scarcely say that others of my colleagues would have led me forward with a like ability; so it was, however, that we fell together on the matter, and continued to co-operate.*

My purpose, and the purpose of the surgeon, whoever he may be who holds my views, is radically to extirpate every caseous gland or portion of gland, and so quench promptly the smouldering fire. At first, we naturally had for our patients only those sufferers whose endurance was exhausted, and who willingly accepted any way, however doubtful, out of their sufferings. Gaining courage, however, by our success even in the worst cases, we are advising the radical operation more and more, until, I may now mention it as one of our best means from the moment that caseation, however limited, is manifest. Recent instances lead me to hope that if such a practice become universal, scrofulous neck and all the hectic, asthenia, emaciation, and phthisical risks which belong to it will become matters of history.

It is needless to say that the surgical procedure does not do away with the value of sea climates, good food and

* I do not for a moment pretend that eradication of scrofulous mischief in the neck by the knife and scoop is an original idea of my own. It occurred to me independently, as it doubtless occurred to many other physicians. I believe, however, that the idea has never been worked out so completely, nor in so many cases, as by Mr. Teale. Indeed, on hastily turning up the subject with the aid of "Neale's Digest" and "Virchow's Jahresbericht," I am surprised to find how little has been done by others on the same lines.

tonic medications, but it does put an end to those constitutional infections, which make such means more necessary. Where in-born frailty is strongly marked, such means are still to be added, and in a few very vulnerable patients the surgeon may be compelled to call in the aid of Margate in support of his undertaking.* But such cases are the minority; many persons affected with cervicle scrofula are not originally of bad physique, and these persons, whom we meet daily, can be cured by the knife alone, always directly and sometimes rapidly. When, after years of smouldering, inflammation and caseation group after group of glands have become involved, it would be unwise perhaps, even were it possible, to enucleate the whole mass either in one sitting, or in instantly successive sittings. It is not a part of my commission to-day, gentlemen, to describe to you the operative part of the radical cure; this chapter will be enlarged upon by Mr. Teale, on the 17th December. But, in general terms, the aim which the surgeon must set before himself is to open all sub-cutaneous abscesses, to trace them to softening glands, to enucleate these, and to lay open all sinuses which lead to deep-lying glands, often concealed behind muscles or fasciæ, and to so completely eliminate all decaying tissue, and so cleanse the bed of disease that healing may be rapid and complete. In a severe case several operations, even six or eight, may be needed to secure a stable result; but it is surprising to see how quickly the general health rebounds after the two or three first sittings. Finally, we claim not only to cure, but to beautify the patient, for if conveniently and neatly managed, the scars of the surgeon are so clean and fine as in a year or two to disappear altogether. To secure this desirable end, it is important, even at the risk of a repeated operation, to avoid the prolonged use of a drainage tube, for after such a procedure a denser and rougher scar remains behind.

Gentlemen, I thank you sincerely for your kind consideration.

* I believe that by systematic enucleation and evacuation on the radical system, the stay of all scrofulous patients at Margate could be abridged, and the benefits of it enlarged.

ON THE SURGERY OF SCROFULOUS GLANDS.

FEW subjects better illustrate the increasing tendency in modern times of the work of the physician and of the surgeon to be drawn to a focus of common action than that of scrofulous glands. The definite principles on which the surgeon attacks degenerating and suppurating glands whenever within reach have taken form within very recent years, and have derived their impetus mainly from two lines of thought—one, the fundamental one, established by the physician, that such degenerate structures, even when not suppurating, are centres from which health-damaging and death-dealing material may be diffused throughout the human frame; the other, established by the surgeon, that septic suppurating cavities and sinuses can be deprived of their injurious qualities, and converted from chronic sores into rapidly healing surfaces, by the vigorous employment of the scraper invented by Volckmann and improved by Lister, which enables him to achieve work which cannot be so thoroughly or easily effected by the knife.

It was a happy arrangement by which this course of clinical lectures by the consulting staff of the Leeds Infirmary was inaugurated by a lecture on the physician's side of the question, and is followed by a complementary lecture on its surgical aspect. And this sequence is all the more marked, inasmuch as a great portion of the surgical work on which my lecture is based, has been done at the request of Dr. Allbutt, in order to satisfy his cravings as a physician for the riddance by surgery of those poisonous structures which barred the way to the successful treatment of his patients. The data which I shall bring before you are drawn chiefly from my private practice, and for this reason, that I have been able to watch the cases thoroughly from beginning to end, and to obtain more accurate statements of the results

than is possible in the case of hospital patients. I need hardly say that a great deal of work of the same kind has been done in our infirmary by my colleagues and myself. The list of cases which I produce was compiled by Mr. R. N. Hartley from my notes three years ago, in order to illustrate the paper read by Dr. Allbutt at the International Medical Congress in 1881, and, by misadventure, was but partially recorded in the Transactions. I have not thought it necessary to add to the list by my more recent cases, which abundantly confirm the experience previously gained.

Let me introduce the question of treatment by a typical case which will be none the less telling that it was under the surgical care of a colleague.

In January, 1880, I was requested by Mr. Wheelhouse to meet him at Dr. Allbutt's chambers, that we might consult about a fluctuating swelling in the neck of one of his patients, a young lady, about 16 years of age. There was a large soft swelling below and behind the right ear, which had been emptied of pus by incision a year before. The incision soon healed, and the swelling reappeared in spite of iodine and other applications. She had now returned home after a year at Southport with the swelling as large as ever. Hence the consultation. The decision was that the pus containing cavity should first be emptied by the aspirator, and then, if it refilled, as was probable, that it should be opened, scraped, and drained. The cavity refilled, and in February, I assisted Mr. Wheelhouse in his "radical" operation. The swelling, about the size of a duck's egg, was situated over the sterno-mastoid muscle behind and below the lobe of the left ear. Mr. Wheelhouse made an incision about $1\frac{1}{2}$ in. long in the posterior border of the swelling. The pus having escaped, the *subcutaneous* cavity was scraped out thoroughly, and no gland was found. Now we come to the cardinal point in the surgical treatment—I might say in the radical cure—of a large number of these cases of degenerating glands. Profiting by previous experience we searched with the point of a director, and found, as was suspected, a small hole through the deep cervical fascia that

would barely admit the tip of the little finger. This led to the defaulting gland in its hiding place beneath the sternomastoid. The opening was enlarged, and the caseous, half-decayed lymphatic gland was unearthed by Lister's scraper. After vigorous scraping and cleansing, and washing by carbolic lotion (we had not then arrived at iodoform), a drainage tube was inserted. The tube was left in nearly two months; its removal was rapidly followed by healing, and the neck has been perfectly sound ever since. At the present time, four years after, the scars of the two operations are faint white lines barely an inch long, with hardly a suspicion of dimple. She is healthy and has a good colour, having been before the operation pallid and pasty, and her friends say, "she is not like the same girl at all."

Now, what do we learn from this case? We learn *first of all* the absolute inutility of merely incising or otherwise opening an abscess dependent on a degenerate gland which lies beneath the deep cervical fascia.

We learn, in the *second* place, that the visible abscess, which would often be called a strumous suppurating gland, is merely a subcutaneous storage reservoir of pus, and that its source, a degenerate gland, is not subcutaneous, but sub-fascial—i.e., under the deep cervical fascia, and perhaps even sub-muscular, the communication between the two being by a small opening just large enough to admit a probe, and easy to overlook if it be not carefully looked for. Herein lies the explanation of the chronic sinuses discharging for years, and healing, if they do heal, with a conspicuous, depressed scar, with perhaps subcutaneous burrowings lined by ill-favoured granulations, or an open indolent sore healing at last with a cheloid deformity.

We learn, in the *third* place, that suppuration long existing may be brought to an end in the course of a very few weeks, if the source of it be recognised and *vigorously* attacked. *Sublatâ causâ, tollitur effectus.*

We learn, in the *fourth* place, that the mark left by prompt surgical interference is not deforming, scarcely dimpled, and is utterly insignificant compared with the ugly

scar resulting from a sinus allowed to heal at its own leisure after discharging, it may be, for months or years.

The next case was sent to me in October, 1877. Mr. S., of K., aged 27, having been advised to winter abroad on account of symptoms of commencing disease of the lungs, was urged by Dr. Allbutt to have a chronic discharging sinus in the neck surgically attended to before leaving England. For several years he had been subject to enlargement of the cervical glands, for which he had undergone all kinds of medicinal and external (local) treatment, but with no good result. The sinus in the neck was incised and enlarged, and cheesy remnants of degenerate gland tissue were found and scraped out. This sinus, from which, according to his account, there had been a constant discharge *for several years*, was quite healed in *five weeks* after the operation. A year later the scar was pale, non-adherent, and scarcely visible. There had been no further enlargement of glands, there was no evidence of disease of lung, and he was in robust health. Can there be any reasonable doubt that in this case the half-decayed gland, with its septic track, was a serious factor in his depraved condition of health, and that, even if it were not the active cause of his threatening pulmonary disease, it must have proved a serious impediment, if not an absolute bar, to the happy recovery of lung which took place?

And what is the special lesson taught by this case? That it lies with the physician to appreciate the vital importance of any septic complication in a patient suffering from, or threatened with, visceral disease. That it is possible for the surgeon to quickly put an end to many sources of chronic poisoning of the system, and so to give fair play to the means of restoring health which are at the command of the physician.

The next case which I shall bring forward is that of Walter Speight, an Infirmary patient, now present. He has been operated upon *nine* times during the last five years, and now seems to have come to the end of his troubles. On the first occasion the gland had suppurated, and was dis-

charging. In all the other operations the glands were removed or scooped out before the skin had given way. In some instances the glands were suppurating, in others enlarged glands were enucleated before they had broken down. As soon as a fresh gland inflamed he came and begged me to remove it, so great was the discomfort he endured, so marked was the relief that he obtained by operation. We learn from this case the value of persistency both in patient and surgeon; in the patient, in not being content until every source of discomfort and of deformity has been removed; in the surgeon, in not holding his hand as long as work remains to be done. If it be right to remove one degenerating gland, it is right to work on to a logical conclusion, until all removable compromised glands have been got rid of. The case teaches us also that we need not be deterred from our good work by fear of a deforming scar, and that it is possible, provided the skin be sound, so to remove a gland as to leave a scar that shall be insignificant. In two instances beside, the patients being young ladies, have repeated operations been performed with most gratifying results. One has now been in good health for nearly two years since her last operation; the other has just undergone what I hope will prove to be the last of her series. Both were most eager to have their incumbrance removed, reckoning the mark as nothing compared with the increase in comfort, rapid recovery, and improvement in health which they had experienced.

Let us take another case. Miss B., aged 11, was brought to me in July, 1879, with chronic enlargement of cervical glands following an attack of sore throat, probably caused by defective drains. A sinus connected with the glands had been discharging for six months, and at another point an abscess was making for the surface. Operations were performed on two occasions. On the first the sinus was enlarged and scraped, and the remains of a decayed gland were removed, the wound healing in four weeks. The abscess, still covered by sound skin, was opened at the same time, and the gland in which it originated was dissected out. This

wound healed in ten days. At the second operation, a few weeks later, another unbroken suppurating swelling was dealt with in like manner, and the wound healed in three weeks. The result, as reported two years later, is that there is a puckered thickened cicatrix over the situation of the sinus, but that the scars of the gland abscesses that were not allowed to open spontaneously were linear, and fading in colour.

The lesson here taught is clear—that, apart from the question of ill-health dependent upon the presence of long continued discharge from a sinus or gland, it is of supreme importance in the question of scar that the offending gland or pus should be eradicated whilst the skin is sound, *i.e.*, before the skin has been damaged by inflammation and thinning, and, above all things, that we should anticipate the formation of a sinus which by the contraction of its lining of cicatrix draws to a pucker the scar in the skin.

Let me sum up the general conclusions at which I have arrived, as the result of the cases which have come under my observation during the last seven or eight years:—

(1) That our guiding principle should be, in the words of Dr. Allbutt, that “whenever septic material is contained in the system, we rest not until it be expelled, and its burrows laid open and disinfected.”

(2) That in a very large number, in a majority, of these instances of scrofulous neck which have come under my care there was no evidence of any constitutional taint or weakness. The origin of the ailment was clear and defined, bad drains in many instances, scarlet fever, mumps, &c. The cases were often isolated instances in families free from any tendency to constitutional disease. Health was restored to perfect vigour after the destruction of all degenerate or septic material. The removal of the condemned glands was *very rarely* followed by any further enlargement of glands, or by the need of any repetition of operation.

(3) That surgical interference is not only justifiable, but demanded, in the following conditions:—

(a) Whenever a sinus resulting from a degenerate lymphatic gland exists.

(b) Whenever fluid, *i.e.*, pus, can be detected in connection with an enlarged lymphatic gland.

(c) Whenever there are enlarged glands accessible to surgery in a patient in whom a caseous or a suppurating gland has been already discovered.

(4) As to glands which, not having suppurated, nor having been proved to be caseous in any one instance, are an eyesore, or are accompanied by lowered health, the question of removal may be considered an open one. Probably in some instances the best method of treatment will be by "cautery-puncture."

Of this method I have no experience, but it is spoken of most favourably by Mr. Treves in his work on "Scrofula and its Gland Diseases," page 193, and he has employed it extensively.

As to the surgical treatment of these cases the following are my conclusions:—

(1) That surgery can secure the healing in a very few weeks of gland cavities and sinuses, even though they have existed for years, and of wounds resulting from the removal of caseous and suppurating glands.

(2) That in dealing with sinuses, gland abscesses, and decayed or semi-decayed lymphatic glands, the action of the surgeon must be vigorous and thorough.

(3) That the visible abscess, which would often be called and treated as a strumous suppurating gland, is as a rule merely a subcutaneous reservoir of pus, its source a degenerate gland being, *not sub-cutaneous*, but *sub-fascial*, *i.e.*, under the deep cervical fascia, and sometimes even sub-muscular, the communication between the two being a small opening just large enough to admit a probe or director.

(4) That it is utterly futile merely to incise or puncture such a sub-cutaneous abscess dependent upon a degenerate gland which lies beneath the deep fascia.

(5) That when a damaged or suppurating gland has been got rid of before the overlying skin is thinned by advancing suppuration, the resulting scar is insignificant, and not an eyesore.

(6) That in almost every instance in which the cure of the disease by operation was followed by a depressed cicatrix there had been previously a sinus discharging for months, or even for years.

(7) That in dealing with a sinus the channel should be enlarged by the knife or by "Bigelow's dilator" (*vide infra*), and the whole of its granulating surface should be scraped off. Where a sinus is shallow and covered by thin blue skin, this imperfect covering should be rasped away by the scraper, and any cutaneous overhanging edges should be trimmed off by scissors.

(8) That in dealing with a sinus or an abscess the surgeon should not rest content until he has discovered and eradicated the gland, always remembering that if it be not obvious, there is sure to be a small track leading through the deep fascia to the missing gland. This opening should be enlarged so as to admit the spoon of Lister's scraper (*vide infra*).

(9) That when a gland has not suppurated, and is moveable, it can be removed by very little dissection, almost by enucleation, and that, as the healing takes place rapidly, the resulting scar is very faint and insignificant.

(10) That when a gland has suppurated, and generally when it has become caseous, the capsule should be freely opened, and the contents should be eviscerated by Lister's scraper. This is sometimes easy, the evisceration leaving the stiff capsular case virtually cleaned out. Sometimes it is very difficult to get rid, even by most vigorous use of the scraper, of the tough living stump of gland toughly adherent to the capsule. At times it is well to dissect this remnant away by the scalpel, if the risk of injuring important structures be not too great.

(11) That sometimes, after such an evisceration leaving an empty capsular cavity, the finger detects in this wall a bulging of a contiguous gland. This should be pricked through the wall of the cavity, and so reached and eviscerated. In this way in more than one instance I have emptied from one external opening a group of three or four glands massed together, in close contact, and suppurating or otherwise broken down.

(12) That the following is a good plan of after-treatment. The cavity having been well cleansed by carbolic acid solution 1 in 40, or by carbolised glycerine 1 in 10, is charged with iodoform. An india-rubber drainage tube, reaching to the farthest recess, is fixed to one extremity of the wound, the edges of which are carefully and accurately brought together by fine catgut suture. The wound may then be covered by a pad of salicylic silk, or some other absorbent antiseptic substance. At the end of a week the india-rubber drainage tube should be removed. Where a gland and its capsule have been completely enucleated or dissected out it is not necessary to renew the drainage tube. In most other conditions the india-rubber tube should be replaced by one of gilt wire, which should remain until there is reason to suppose that all is healed except the track of the tube. This period will vary from three to eight or ten weeks.

The effectiveness of the scraping is much aided by the form of scraper. Lister's is, to my mind, much better than




FIG. 1.—Lister's Scrapers.

Volckmann's. The cup is of a better shape—a large oval, almost circular—instead of a narrow oval, almost pointed. The handle is far superior, being a good double curve, and not straight, allowing the scoop to be swept round a cavity with more telling effect. (*Vide* Fig. 1.)

I have also referred above to a very valuable instrument but little known—Bigelow's "sinus dilator," represented in




FIG. 2.—Bigelow's Sinus Dilator.

Fig. 2. The original was presented to me by Professor Bigelow during the meeting of the International Medical Congress in London. It is on the principle of a glove stretcher, and is of great value in enlarging sinuses, especially in regions where the knife cannot be used safely.

ILLUSTRATIVE CASES.

The details of the following cases in which I have operated on scrofulous glands are arranged for the sake of clearness under the following heads, viz.:—A.—Duration of disease before operation. B.—Predisposing and exciting causes so far as known, with note of the nature of the case, and the treatment employed prior to operation. C.—Treatment. D.—Results as to (a) how long in healing; (b) condition of scar; (c) subsequent enlargement of other glands; (d) effect on general health.

(1) Miss B., æt. 30. *Date of Operation*, October 17, 1877. A.—14 months. B.—None known; had been "in poor health" for some time; agglomeration of enlarged cervical glands, with commencing suppuration; treated with iodine externally and iodide of potassium internally. C.—Free incision; the caseating glands partly enucleated with the "spoon," and partly scraped out from their thickened capsule. D.—(a) Healing quite complete a month after operation. (b) Scar two years after, a white linear cicatrix, scarcely visible. (c) No further enlargement of glands. (d) Patient reports, "My health has greatly improved since the operation; indeed, I have been remarkably well since."

(2) John S., æt. 27. *Date of Operation*, October 20, 1877. A.—Several years. B.—Original exciting cause of swelling in neck not known; was going abroad on account of symptoms of commencing disease in lungs, but was advised by Dr. Allbutt before going to have the chronic discharging sinus in neck in connection with enlarged glands attended to; had had all possible forms of medicinal and local external treatment. C.—Sinus incised and enlarged, and curdy remains of degenerating gland tissue scraped out. D.—(a) Quite healed in five weeks from operation. (b) Scar (a year after) pale, non-adherent, and scarcely visible. (c) No further enlargement of glands. (d) General health greatly improved; no evidence of disease in lung; is now in perfectly robust health.

(3) Miss B., æt. 16. *Date of Operation*, August 29, 1878. A.—6 months. B.—Glands, left, enlarged after attack of mumps six months previously; a few weeks before operation they had commenced to suppurate. Treated by iodine paint and ointment, poultices, &c. C.—Two incisions, through which the enlarged mass of glands was very freely scraped. D.—(a) Healing complete in three weeks. (b) Scarcely any appreciable scar is left. (c) No further enlargement of glands. (d) No further illness of any kind.

(4) Miss G., æt. 8. *Date of Operation*, April 3, 1877. A.—13 months. B.—Had suffered from chronic sore throat and malaise from drain-poisoning, followed by enlargement of

glands in neck in which suppuration had commenced; treated by medicines, pills, and poultices. C.—Two incisions, much broken-down gland tissue scraped out; capsular investment left much thickened; no drainage-tube used. D.—(a) Healing not complete for nearly ten months. (b) Some puckering and depression of scar, and thickened cicatricial tissue in neighbourhood. (c) No further enlargement of glands. (d) Patient writes, “I have never had a day’s illness since.” February, 1885: Reported to be quite well, and as the strongest of three daughters.

(5) Miss B., æt. 8. *Date of Operation*, April 6, 1877. A.—7 months. B.—Swelling of cervical glands appeared in connection with ulcerated throat and enlarged tonsils; an abscess formed sub-cutaneously; operation advised by Dr. Allbutt; treated with poultices, &c.; sub-cutaneous abscess at first simply lanced; chronic feverishness and malaise following. C.—Superficial sinus enlarged, and hole found leading to deeper gland cavity, the contents of which were enucleated by the scraper. D.—(a) Quite healed within six weeks. (b) Very trifling scar left, white and non-adherent. (c) No further swelling of glands. (d) Uninterrupted good health since operation.

(6) Miss L., æt. 31. *Date of Operation*, August 14, 1877. A.—12 months. B.—A chain of glands beneath the jaw, above the clavicle and in axilla, enlarged during a subacute illness induced by nursing a case of typhoid in a house with all the drainage faulty; ordinary medicinal and local treatment. C.—*Two Operations*: A. Four enlarged glands enucleated by incision near jaw, and three or four others by a fresh incision above clavicle; B. Seven glands removed through incision in axilla, the larger glands of each set were caseating in centre. D.—(a) Cavities made in *Operation A* took nearly six weeks to heal; that of *Operation B* one month. (b) Scar near jaw very slightly depressed, soft, and white; scar above clavicle linear, white, no depression; scar in axilla, rather raised, white, non-adherent. (c) No subsequent swelling of glands. (d) General health now very good. March, 1885: Perfectly well.

(7) Miss H., æt. 7. *Date of Operation*, August 19, 1878.
 A.—18 months. B.—No exact cause known; had been in "weak health" for some time, always suffering from "colds"; swelling of cervical glands with formation of abscess, which was twice "lanced," and always discharging. C.—Sinus enlarged, and remnant of gland, &c., scraped out. D. (a) Exact time required to heal not noted. (b) A white scar with slight pucker. (c) No farther enlargement of glands. (d) Health "very materially better since operation."

(8) Miss B., æt. 11. *Date of Operations*, January 23, and July 4, 1879. A.—8 months. B.—Chronic enlargement of cervical glands following attacks of sore throat (drain throat?); during six months a sinus in connection with these had been constantly discharging, and another abscess was about to point in another place; *previous treatment*, iodine, medicine, &c. C.—*Two Operations*: A (1) The old sinus enlarged and scraped, and an old rotten gland removed; (2) The abscess in connection with second gland incised, and the gland originating it dissected out; B, a third suppurating swelling similarly dealt with. D.—(a) *Operation A* (1) healed in four weeks, (2) healed in ten days; *Operation B*, healed in three weeks. (b) A puckered, thickened cicatrix over situation of old sinus; scars of other gland swellings that were not allowed to burst spontaneously, linear, and fading in colour. (c) No further gland enlargement. (d) Mother writes: "She has decidedly improved in health since."

(9) Tom B., æt. 9. *Date of Operation*, July 9, 1879. A.—Two-and-a-half months. B.—Brother to last case; similar history, &c.; one large swelling near angle of jaw with superficial abscess not yet opened. C.—Incision into superficial abscess which communicated with deep gland cavity beneath fascia; remnant of gland scraped out. D.—(a) Healed in rather under a month. (b) Scar very slight, linear, non-adherent. (c) No further swelling of glands. (d) "Is now in perfectly good health."

(10) Miss N., æt. 13. *Date of Operation*, April 4, 1878. A.—18 months. B.—An old sinus in neck communicating with mass of chronically enlarged glands; discharging more

than a year; health lately much impaired; child pale and sickly, and losing flesh; operation recommended by Dr. Allbutt. C.—A large suppurating cavity first scraped out, with remnants of gland, then three deeper caseating glands dissected out through the original wound. D.—(a) Quite healed in seven weeks. (b) Some induration of tissue round the scar, which is puckered. (c) No further enlargement of glands. (d) “Child’s health recovered rapidly after operation, and is still very good.”

(11) Miss S., æt. 20. *Date of Operation*, March, 1880. A.—7 or 8 years. B.—Degenerate lymphatic temperament with irregular menstruation, and chronic ill health from no obvious cause; the gland swelling first appeared after scarlet fever, and has since increased very much; all kinds of treatment had been tried; one small abscess had been incised by a surgeon and kept discharging for two years; operation advised by Dr. Allbutt. C.—Long incision over prominent part of swelling; four or five glands enucleated entire, and a sacculated thickened cavity containing others well scraped. D.—(a) Healed in two weeks, but surrounding thickened tissue took some weeks further to atrophy. (b) Mother writes, “The mark of the cut is hardly observable, but there is a little pucker over the place that used to discharge so long.” (c) “No other swelling has appeared.” (d) “She is much stronger and better every way since the operation.” She died suddenly in a faint, having been in good health, about two years after the operation.

(12) Andrew T., æt. 9. *Date of Operation*, . A.—2 years. B.—Glands enlarged on each side of neck and under jaw; first noticed after measles seven years ago; some simply enlarged, others about to suppurate. C.—*Three Incisions*: A, Under jaw, through which seven or eight were dissected out; B and C, On each side of neck gland masses about to suppurate; cavities emptied by scraper. D.—(a) A healed in six weeks; B healed under seven weeks; C healed in rather more than two months. (b) Cicatrices non-adherent, and becoming pale; no puckering. (c) No further enlargement of glands. (d) Uninterrupted good health since operation.

(13) Alice T., æt. 3. *Date of Operation*, July 16, 1880.
 A.— . B.—No known cause; somewhat acute swelling of mass of glands on left side of neck, with formation of sub-cutaneous abscess. C.—Free incision; mass of softening glands enucleated with scraper. D.—(a) Healed in three weeks. (b) Faint linear cicatrix. (c) A second operation required. (d) Child perfectly well in health since.

(14) Miss C., æt. 10. *Date of Operation*, December 23, 1880. A.— . B.—Chronic enlargement of cervical glands, following sore throat and drain poisoning; sub-cutaneous abscess about to burst. C.—Free incision; mass of softened sloughy tissue evacuated; a hole in deep fascia enlarged, leading to remains of enlarged glands, which were scraped out. D.—(a) Healed in eight weeks. (b) Very slight linear scar. (c) No other enlargement of glands. (d) General health now perfectly good.

(15) Miss H., æt. 24. *Date of Operation*, April 17, 1881.
 A.— . B.—Swelling of glands in neck (both sides), first began in connection with obscure chronic illness, afterwards traced to drain poisoning; operation advised by Dr. Allbutt. C.—*Four Operations*: A, Free incision over mass of partly caseous, partly suppurating glands on left side of neck, several glands enucleated, and parts of others scraped out, others deeper could not be reached; B, Four glands enucleated from right side; C, Incision of operation A re-opened four months after, to scrape out fresh enlarged gland. D.—(a) *Operation B* healed in two weeks; *Operation A* healed in nearly two months; *Operation C*, in three weeks. (b) Cicatrix of B linear and non-adherent; no indication of swelling having existed; cicatrix of A and C somewhat puckered, but no further swelling has occurred, and the thickening of surrounding parts is being slowly absorbed.

(16) Miss H., æt. 17. *Date of Operation*, May 5, 1881.
 A.—Several years. B.—Extensive sub-cutaneous ulceration from old suppurating cervical glands with discharging sinuses; health much impaired by constant discharge, &c. C.—Sinuses freely opened and well scraped; some remnants of gland excised. D.—(a) Healed in six weeks. (b) Extensive

puckered scar from old attempts at healing. (c) No further enlargement. (d) Health greatly improved since operation.

(17) Mrs. W., æt. 27. *Date of Operation*, May 17, 1881.

A.—4 years. B.—Old chronic enlargement of glands in neck; two years ago was “cut” by a medical man, has been discharging ever since; large unhealthy granulating surface leading to cavity; a second swelling has existed for six months; treated by all kinds of applications, poultices and medicines. C.—Granulating surface scraped and cavity communicating with it emptied of degenerated gland material; second swelling incised and two large glands dissected out. D.—(a) Healed in five weeks. (b) Adherent scar over old sinus; faint linear scar over site of recent swelling. (c) No other swelling of glands. (d) General health very greatly improved since operation.

(18) Miss H., æt. 17. *Date of Operation*,

A.—9 months. B.—No known cause; large mass of glands at side of neck with sub-cutaneous abscess. C.—Free incision; three or four degenerated glands enucleated, and much broken-down cheesy matter scraped out. D.—(a) Healed in six weeks. (b) A very pale linear scar about $1\frac{1}{2}$ inch in length is all that is visible. (c) No further swelling of glands. (d) Health continues perfectly good.

(19) Miss L., æt. 15. *Date of Operation*,

A.—4 years. B.—A large swelling has existed at side of neck between four and five years; had seemed to increase for some weeks prior to operation, and a fluctuating swelling had formed; cause of original swelling uncertain; operation advised by Dr. Allbutt. C.—Free incision into cavity containing creamy pus; some deep calcareous and caseous glands feeding the pus cavity dissected out. D.—(a) Healed in three weeks. (b) Scarcely any visible scar. (c) No further gland enlargement. (d) Is now in very vigorous health.

Catalogue B]

*London, 11, New Burlington Street
November, 1884*

SELECTION

FROM

J. & A. CHURCHILL'S GENERAL CATALOGUE

COMPRISING

ALL RECENT WORKS PUBLISHED BY THEM

ON THE

ART AND SCIENCE OF MEDICINE



N.B.—As far as possible, this List is arranged in the order in which medical study is usually pursued

J. & A. CHURCHILL publish for the following Institutions
and Public Bodies:—

H.M. STATIONERY OFFICE.

VIVISECTION FORMS AND CERTIFICATES.

A to F (6 at $\frac{1}{2}$ d. each). Application for Licence, $\frac{1}{2}$ d.

ROYAL COLLEGE OF SURGEONS.

CATALOGUES OF THE MUSEUM.

Twenty separate Catalogues (List and Prices can be obtained of J. & A. CHURCHILL).

GUY'S HOSPITAL.

REPORTS BY THE MEDICAL AND SURGICAL STAFF.

Vol. XXVI., Third Series (1883). Price 7s. 6d.

LONDON HOSPITAL.

PHARMACOPŒIA OF THE HOSPITAL. 3s.

CLINICAL LECTURES AND REPORTS BY THE MEDICAL AND
SURGICAL STAFF. Vols. I. to IV. 7s. 6d. each.

ST. BARTHOLOMEW'S HOSPITAL.

CATALOGUE OF THE ANATOMICAL AND PATHOLOGICAL
MUSEUM. Vol. I.—Pathology. 15s.

ST. GEORGE'S HOSPITAL.

REPORTS BY THE MEDICAL AND SURGICAL STAFF.

The last Volume (X.) was issued in 1880. Price 7s. 6d.

CATALOGUE OF THE PATHOLOGICAL MUSEUM. 15s.

SUPPLEMENTARY CATALOGUE (1882). 5s.

ST. THOMAS'S HOSPITAL.

REPORTS BY THE MEDICAL AND SURGICAL STAFF.

Annually. Vol. XI., New Series (1882). 7s. 6d.

MIDDLESEX HOSPITAL.

CATALOGUE OF THE PATHOLOGICAL MUSEUM.

ROYAL LONDON OPHTHALMIC HOSPITAL.

REPORTS BY THE MEDICAL AND SURGICAL STAFF.

Occasionally. Vol. X., Part III. (August, 1882). 5s.

MEDICO-PSYCHOLOGICAL ASSOCIATION.

JOURNAL OF MENTAL SCIENCE.

Quarterly. Price 3s. 6d. each, or 14s. per annum.

PHARMACEUTICAL SOCIETY OF GREAT BRITAIN.

PHARMACEUTICAL JOURNAL AND TRANSACTIONS.

Each Week. Price 4d. each, or 20s. per annum, post free.

BRITISH PHARMACEUTICAL CONFERENCE.

YEAR BOOK OF PHARMACY.

In December. Price 10s.

BRITISH DENTAL ASSOCIATION.

JOURNAL OF THE ASSOCIATION AND MONTHLY REVIEW
OF DENTAL SURGERY.

On the 15th of each Month. Price 6d., or 7s. per annum, post free.

A SELECTION

FROM

J. & A. CHURCHILL'S GENERAL CATALOGUE,

COMPRISING

ALL RECENT WORKS PUBLISHED BY THEM ON THE
ART AND SCIENCE OF MEDICINE.

N.B.—*J. & A. Churchill's Descriptive List of Works on Chemistry, Materia Medica, Pharmacy, Botany, Photography, Zoology, the Microscope, and other Branches of Science, can be had on application.*

Practical Anatomy :

A Manual of Dissections. By CHRISTOPHER HEATH, Surgeon to University College Hospital. Fifth Edition. Crown 8vo, with 24 Coloured Plates and 269 Engravings, 15s.

Wilson's Anatomist's Vade-Mecum. Tenth Edition. By GEORGE BUCHANAN, Professor of Clinical Surgery in the University of Glasgow; and HENRY E. CLARK, M.R.C.S., Lecturer on Anatomy at the Glasgow Royal Infirmary School of Medicine. Crown 8vo, with 450 Engravings (including 26 Coloured Plates), 18s.

Braune's Atlas of Topographical Anatomy, after Plane Sections of Frozen Bodies. Translated by EDWARD BELLAMY, Surgeon to, and Lecturer on Anatomy, &c., at, Charing Cross Hospital. Large Imp. 8vo, with 34 Photolithographic Plates and 46 Woodcuts, 40s.

An Atlas of Human Anatomy. By RICKMAN J. GODLEE, M.S., F.R.C.S., Assistant Surgeon and Senior Demonstrator of Anatomy, University College Hospital. With 48 Imp. 4to Plates (112 figures), and a volume of Explanatory Text, 8vo, £4 14s. 6d.

Surgical Anatomy :

A series of Dissections, illustrating the Principal Regions of the Human Body. By JOSEPH MACLISE. Second Edition. 52 folio Plates and Text. £3 12s.

Medical Anatomy.

By FRANCIS SIBSON, M.D., F.R.C.P., F.R.S. Imp. folio, with 21 Coloured Plates, 42s.

Anatomy of the Joints of Man.

By HENRY MORRIS, Surgeon to, and Lecturer on Anatomy and Practical Surgery at, the Middlesex Hospital. 8vo, with 44 Lithographic Plates (several being coloured) and 13 Wood Engravings, 16s.

Manual of the Dissection of the Human Body. By LUTHER HOLDEN, Consulting Surgeon to St. Bartholomew's Hospital. Edited by JOHN LANGTON, F.R.C.S., Surgeon to, and Lecturer on Anatomy at, St. Bartholomew's Hospital. Fifth Edition. 8vo, with 208 Engravings. 20s.

By the same Author.

Human Osteology.

Sixth Edition, edited by the Author and JAMES SHUTER, F.R.C.S., M.A., M.B., Assistant Surgeon to St. Bartholomew's Hospital. 8vo, with 61 Lithographic Plates and 89 Engravings. 16s.

Also.

Landmarks, Medical and Surgical. Fourth Edition. 8vo. [*In the Press.*]

The Student's Guide to Surgical Anatomy : An Introduction to Operative Surgery. By EDWARD BELLAMY, F.R.C.S. and Member of the Board of Examiners. Fcap. 8vo, with 76 Engravings, 7s.

The Student's Guide to Human Osteology. By WILLIAM WARWICK WAGSTAFFE, late Assistant Surgeon to St. Thomas's Hospital. Fcap. 8vo, with 23 Plates and 66 Engravings, 10s. 6d.

The Anatomical Remembrancer ; or, Complete Pocket Anatomist. Eighth Edition. 32mo, 3s. 6d.

Diagrams of the Nerves of the Human Body, exhibiting their Origin, Divisions, and Connections, with their Distribution to the Various Regions of the Cutaneous Surface, and to all the Muscles. By W. H. FLOWER, F.R.S., F.R.C.S. Third Edition, with 6 Plates. Royal 4to, 12s.

Atlas of Pathological Anatomy. By Dr. LANCEREAUX. Translated by W. S. GREENFIELD, M.D., Professor of Pathology in the University of Edinburgh. Imp. 8vo, with 70 Coloured Plates, £5 5s.

A Manual of Pathological Anatomy. By C. HANDFIELD JONES, M.B., F.R.S., and E. H. SIEVEKING, M.D., F.R.C.P. Edited by J. F. PAYNE, M.D., F.R.C.P., Lecturer on General Pathology at St. Thomas's Hospital. Second Edition. Crown 8vo, with 195 Engravings, 16s.

Lectures on Pathological Anatomy. By S. WILKS, M.D., F.R.S., and W. MOXON, M.D., Physician to Guy's Hospital. Second Edition. 8vo, Plates, 18s.

Post-mortem Examinations:

A Description and Explanation of the Method of Performing them, with especial reference to Medico-Legal Practice. By Prof. VIRCHOW. Translated by Dr. T. P. SMITH. Second Edition. Fcap. 8vo, with 4 Plates, 3s. 6d.

The Human Brain:

Histological and Coarse Methods of Research. A Manual for Students and Asylum Medical Officers. By W. BEVAN LEWIS, L.R.C.P. Lond., Deputy Medical Superintendent to the West Riding Lunatic Asylum. 8vo, with Wood Engravings and Photographs, 8s.

Manual of Physiology:

For the use of Junior Students of Medicine. By GERALD F. YEO, M.D., F.R.C.S., Professor of Physiology in King's College, London. Crown 8vo, with 300 Engravings, 14s.

Principles of Human Physiology. By W. B. CARPENTER, C.B., M.D., F.R.S. Ninth Edition. By HENRY POWER, M.B., F.R.C.S. 8vo, with 3 Steel Plates and 377 Wood Engravings, 31s. 6d.

Sanderson's Handbook for the Physiological Laboratory. By E. KLEIN, M.D., F.R.S.; J. BURDON-SANDERSON, M.D., F.R.S.; MICHAEL FOSTER, M.D., F.R.S.; and T. LAUDER BRUNTON, M.D., F.R.S. 8vo, with 123 Plates, 24s.

Histology and Histo-Chemistry of Man. By HEINRICH FREY, Professor of Medicine in Zurich. Translated by ARTHUR E. J. BARKER, Assistant Surgeon to University College Hospital. 8vo, with 608 Engravings, 21s.

A Treatise on Human Physiology. By JOHN C. DALTON, M.D. Seventh Edition. 8vo, with 252 Engravings, 20s.

The Law of Sex.

By G. B. STARKWEATHER, F.R.G.S. With 40 Illustrative Portraits. 8vo, 16s.

The Marriage of Near Kin,

Considered with respect to the Laws of Nations, Results of Experience, and the Teachings of Biology. By ALFRED H. HUTH. 8vo, 14s.

Medical Jurisprudence:

Its Principles and Practice. By ALFRED S. TAYLOR, M.D., F.R.C.P., F.R.S. Third Edition, by THOMAS STEVENSON, M.D., F.R.C.P., Lecturer on Medical Jurisprudence at Guy's Hospital. 2 vols. 8vo, with 188 Engravings, 31s. 6d.

By the same Author.

A Manual of Medical Jurisprudence. Tenth Edition. Crown 8vo, with 55 Engravings, 14s.

Poisons,

Also.
In Relation to Medical Jurisprudence and Medicine. Third Edition. Crown 8vo, with 104 Engravings, 16s.

Lectures on Medical Jurisprudence. By FRANCIS OGSTON, M.D., late Professor in the University of Aberdeen. Edited by FRANCIS OGSTON, Jun., M.D. 8vo, with 12 Copper Plates, 18s.

A Handy Book of Forensic Medicine and Toxicology. By C. MEYMOTT TIDY, M.D., F.C.S., and W. BATHURST WOODMAN, M.D., F.R.C.P. 8vo, with 8 Lithographic Plates and 116 Engravings, 31s. 6d.

Microscopical Examination of Drinking Water and of Air. By J. D. MACDONALD, M.D., F.R.S., Ex-Professor of Naval Hygiene in the Army Medical School. Second Edition. 8vo, with 25 Plates, 7s. 6d.

Sanitary Examinations

Of Water, Air, and Food. A Vademecum for the Medical Officer of Health. By CORNELIUS B. FOX, M.D., F.R.C.P. Crown 8vo, with 94 Engravings, 12s. 6d.

Dangers to Health:

A Pictorial Guide to Domestic Sanitary Defects. By T. PRIDGIN TEALE, M.A., Surgeon to the Leeds General Infirmary. Fourth Edition. 8vo, with 70 Lithograph Plates (mostly coloured), 10s.

Dress: Its Sanitary Aspect.

A Paper read before the Brighton Social Union, Jan. 30, 1880. By BERNARD ROTH, F.R.C.S. 8vo, with 8 Plates, 2s.

How to Arrest Infectious Diseases. By EDGAR G. BARNES, M.D. Lond., Medical Officer of Health of the Eye Urban and Hatismere Rural Sanitary Districts. Fcap. 8vo, 2s. 6d.

A Manual of Practical Hygiene.

By F. A. PARKES, M.D., F.R.S. Sixth Edition, by F. DE CHAUMONT, M.D., F.R.S., Professor of Military Hygiene in the Army Medical School. 8vo, with numerous Plates and Engravings. 18s.

A Handbook of Hygiene and Sanitary Science.

By GEO. WILSON, M.A., M.D., F.R.S.E., Medical Officer of Health for Mid-Warwickshire. Fifth Edition. Crown 8vo, with Engravings, 10s. 6d.

By the same Author.

Healthy Life and Healthy Dwellings:

A Guide to Personal and Domestic Hygiene. Fcap. 8vo, 5s.

Hospitals, Infirmarys, and Dispensaries:

Their Construction, Interior Arrangement, and Management; with Descriptions of existing Institutions, and 74 Illustrations. By F. OPPERT, M.D., M.R.C.P.L. Second Edition. Royal 8vo, 12s.

Pay Hospitals and Paying Wards throughout the World.

By HENRY C. BURDETT, late Secretary to the Seamen's Hospital Society. 8vo, 7s.

By the same Author.

Cottage Hospitals — General, Fever, and Convalescent:

Their Progress, Management, and Work. Second Edition, with many Plans and Illustrations. Crown 8vo, 14s.

Hospital Construction and Management.

By F. J. MOUAT, M.D., Local Government Board Inspector, and H. SAXON SNELL, Fell. Roy. Inst. Brit. Architects. In 2 Parts, 4to, 15s. each; or, the whole work bound in half calf, with large Map, 54 Lithographic Plates, and 27 Woodcuts, 35s.

Manual of Anthropometry:

A Guide to the Measurement of the Human Body, containing an Anthropometrical Chart and Register, a Systematic Table of Measurements, &c. By CHARLES ROBERTS, F.R.C.S. 8vo, with numerous Illustrations and Tables, 8s. 6d.

By the same Author.

Detection of Colour-Blindness and Imperfect Eyesight.

8vo, with a Table of Coloured Wools, and Sheet of Test-types, 5s.

A Manual of Psychological Medicine.

With an Appendix of Cases. By JOHN C. BUCKNILL, M.D., F.R.S., and D. HACK TUKE, M.D., F.R.C.P. Fourth Edition. 8vo, with 12 Plates (30 Figures) and Engravings, 25s.

Idiocy and Imbecility.

By W. W. IRELAND, M.D., late Medical Superintendent of the Scottish National Institution for Imbecile Children, Larbert, N.B. 8vo, with Engravings, 14s.

Illustrations of the Influence of the Mind upon the Body in Health and Disease:

Designed to elucidate the Action of the Imagination. By DANIEL HACK TUKE, M.D., F.R.C.P., LL.D. Second Edition. 2 vols. crown 8vo, 15s.

By the same Author.

Sleep-Walking and Hypnotism.

8vo, 5s.

A Manual of Psychological Medicine and Allied Nervous Disorders.

By EDWARD C. MANN, M.D., Member of the New York Medico-Legal Society. With Plates. 8vo, 24s.

Mental Diseases.

Clinical Lectures. By T. S. CLOUSTON, M.D., F.R.C.P. Edin., Lecturer on Mental Diseases in the University of Edinburgh. With 8 Plates (6 Coloured). Crown 8vo, 12s. 6d.

Madness:

In its Medical, Legal, and Social Aspects. Lectures by EDGAR SHEPPARD, M.D., M.R.C.P., Professor of Psychological Medicine in King's College. 8vo, 6s. 6d.

The Student's Guide to the Practice of Midwifery.

By D. LLOYD ROBERTS, M.D., F.R.C.P., Physician to St. Mary's Hospital, Manchester. Third Edition. Fcap. 8vo, with 2 Coloured Plates and 127 Wood Engravings, 7s. 6d.

Handbook of Midwifery for Midwives:

By J. E. BURTON, L.R.C.P. Lond., Surgeon to the Hospital for Women, Liverpool. Second Edition. With Engravings. Fcap. 8vo, 6s.

Lectures on Obstetric Operations:

Including the Treatment of Hæmorrhage, and forming a Guide to the Management of Difficult Labour. By ROBERT BARNES, M.D., F.R.C.P., Obstetric Physician to St. George's Hospital. Third Edition. 8vo, with 124 Engravings, 18s.

By the same Author.

A Clinical History of Medical and Surgical Diseases of Women.

Second Edition. 8vo, with 181 Engravings, 28s.

Clinical Lectures on Diseases of Women:

Delivered in St. Bartholomew's Hospital, by J. MATTHEWS DUNCAN, M.D., F.R.C.P., F.R.S.E. Second Edition. 8vo, 14s.

By the same Author.

Sterility in Woman.

Being the Gulstonian Lectures, delivered in the Royal College of Physicians, in Feb., 1883. 8vo, 6s.

The Student's Guide to the Diseases of Women. By ALFRED L. GALABIN, M.D., F.R.C.P., Obstetric Physician to Guy's Hospital. Third Edition. Fcap. 8vo, with 78 Engravings, 7s. 6d.

West on the Diseases of Women. Fourth Edition, revised by the Author, with numerous Additions by J. MATTHEWS DUNCAN, M.D., F.R.C.P., F.R.S.E., Obstetric Physician to St. Bartholomew's Hospital. 8vo, 16s.

Notes on Diseases of Women: Specially designed to assist the Student in preparing for Examination. By J. J. REYNOLDS, L.R.C.P., M.R.C.S. Second Edition. Fcap. 8vo, 2s. 6d.

By the same Author.

Notes on Midwifery: Specially designed for Students preparing for Examination. Fcap. 8vo, 4s.

Dysmenorrhœa, its Pathology and Treatment. By HEYWOOD SMITH, M.D. Oxon., Physician to the Hospital for Women, &c. Crown 8vo, with Engravings, 4s. 6d.

Obstetric Aphorisms:

For the Use of Students commencing Midwifery Practice. By JOSEPH G. SWAYNE, M.D. Eighth Edition. Fcap. 8vo, with Engravings, 3s. 6d.

Obstetric Medicine and Surgery: Their Principles and Practice. By F. H. RAMSBOTHAM, M.D., F.R.C.P. Fifth Edition. 8vo, with 120 Plates, 22s.

A Complete Handbook of Obstetric Surgery: Giving Short Rules of Practice in every Emergency. By CHARLES CLAY, late Surgeon to St. Mary's Hospital, Manchester. Third Edition. Fcap. 8vo, with 91 Engravings, 6s. 6d.

Schroeder's Manual of Midwifery, including the Pathology of Pregnancy and the Puerperal State. Translated by CHARLES H. CARTER, B.A., M.D. 8vo, with Engravings, 12s. 6d.

Influence of Posture on Women in Gynecic and Obstetric Practice. By J. H. AVELING, M.D., Physician to the Chelsea Hospital for Women. 8vo, 6s.

By the same Author.

The Chamberlens and the Midwifery Forceps: Memorials of the Family, and an Essay on the Invention of the Instrument. 8vo, with Engravings, 7s. 6d.

A Handbook of Uterine Therapeutics, and of Diseases of Women. By E. J. TILT, M.D., M.R.C.P. Fourth Edition. Post 8vo, 10s.

By the same Author.

The Change of Life

In Health and Disease: A Clinical Treatise on the Diseases of the Nervous System incidental to Women at the Decline of Life. Fourth Edition. 8vo, 10s. 6d.

Ovarian and Uterine Tumours:

Their Pathology and Surgical Treatment. By Sir T. SPENCER WELLS, Bart., F.R.C.S., Consulting Surgeon to the Samaritan Hospital. 8vo, with Engravings, 21s.

The Principles and Practice of Gynæcology. By THOMAS ADDIS EMMET, M.D., Surgeon to the Woman's Hospital, New York. Second Edition. Royal 8vo, with 133 Engravings, 24s.

Diseases of the Uterus, Ovaries, and Fallopian Tubes: A Practical Treatise by A. COURT, Professor of Clinical Surgery, Montpellier. Translated from Third Edition by his Pupil, AGNES MCLAREN, M.D., M.K.Q.C.P.I., with Preface by J. MATTHEWS DUNCAN, M.D., F.R.C.P. 8vo, with 424 Engravings, 24s.

Backward Displacements of the Uterus and Prolapsus Uteri: Treatment by the New Method of Shortening the Round Ligaments. By WILLIAM ALEXANDER, M.D., M.Ch.Q.U.I., F.R.C.S., Surgeon to the Liverpool Infirmary. Crown 8vo, with Engravings, 3s. 6d.

Chronic Disease of the Heart:

Its Bearings upon Pregnancy, Parturition, and Childbed. By ANGUS MACDONALD, M.D., F.R.S.E., Physician to the Edinburgh Royal Infirmary. 8vo, with Engravings, 8s. 6d.

The Female Pelvic Organs:

Their Surgery, Surgical Pathology, and Surgical Anatomy. In a Series of Coloured Plates taken from Nature; with Commentaries, Notes, and Cases. By HENRY SAVAGE, M.D., F.R.C.S., Consulting Officer of the Samaritan Free Hospital. Fifth Edition. Roy. 4to, with 17 Lithographic Plates (15 coloured) and 52 Woodcuts, £1 15s.

The Wasting Diseases of Infants

and Children. By EUSTACE SMITH, M.D., Physician to the King of the Belgians, Physician to the East London Hospital for Children. Fourth Edition. Post 8vo, 8s. 6d.

By the same Author.

Diseases in Children:

A Practical Treatise. 8vo, 22s.

Also.

Clinical Studies of Disease in Children. Second Edition. Post 8vo.

[In the Press.]

A Practical Manual of the Diseases of Children. With a Formulary. By EDWARD ELLIS, M.D. Fourth Edition. Crown 8vo, 10s.

By the same Author.

A Manual of what every Mother should know. Fcap. 8vo, 1s. 6d.

A Treatise on the Diseases of Children. For Practitioners and Students. By W. H. DAY, M.D., Physician to the Samaritan Hospital for Women and Children. Crown 8vo, 12s. 6d.

Infant Feeding and its Influence on Life; By C. H. F. ROUTH, M.D., Senior Physician to the Samaritan Hospital. Third Edition. Fcap. 8vo, 7s. 6d.

A Manual for Hospital Nurses and others engaged in Attending on the Sick. By EDWARD J. DOMVILLE, Surgeon to the Exeter Lying-in Charity. Fourth Edition. Crown 8vo, 2s. 6d.

A Manual of Nursing, Medical and Surgical. By CHARLES J. CULLINGWORTH, M.D., Physician to St. Mary's Hospital, Manchester. Fcap. 8vo, 3s. 6d.

By the same Author.

A Short Manual for Monthly Nurses. Fcap. 8vo, 1s. 6d.

Notes on Fever Nursing.

By J. W. ALLAN, M.B., Superintendent and Physician, Glasgow Fever Hospital. Crown 8vo, with Engravings, 2s. 6d.

Manual of Botany:

Including the Structure, Functions, Classification, Properties, and Uses of Plants. By ROBERT BENTLEY, Professor of Botany in King's College and to the Pharmaceutical Society. Fourth Edition. Crown 8vo, with 1,185 Engravings, 15s.

By the same Author.

The Student's Guide to Structural, Morphological, and Physiological Botany. With 660 Engravings. Fcap. 8vo, 7s. 6d.

Also.

The Student's Guide to Systematic Botany, including the Classification of Plants and Descriptive Botany. Fcap. 8vo, with 350 Engravings, 3s. 6d.

Medicinal Plants:

Being descriptions, with original figures, of the Principal Plants employed in Medicine, and an account of their Properties and Uses. By Prof. BENTLEY and Dr. H. TRIMEN. In 4 vols., large 8vo, with 306 Coloured Plates, bound in Half Morocco, Gilt Edges, £11 11s.

Therapeutical Remembrancer.

By JOHN MAYNE, M.D. Second Edition. 16mo, 3s. 6d.

By the same Author.

Notes on Poisons.

Mounted and Varnished for the Surgery. 18 in. by 12 in. 1s. 6d.

The National Dispensatory:

Containing the Natural History, Chemistry, Pharmacy, Actions and Uses of Medicines. By ALFRED STILLÉ, M.D., LL.D., and JOHN M. MAISCH, Ph.D. Third Edition. 8vo, with 311 Engravings, 34s.

Royle's Manual of Materia Medica and Therapeutics. Sixth Edition. By JOHN HARLEY, M.D., Physician to St. Thomas's Hospital. Crown 8vo, with 139 Engravings, 15s.

The Student's Guide to Materia Medica and Therapeutics. By JOHN C. THOROWGOOD, M.D., F.R.C.P. Second Edition. Fcap. 8vo, 7s.

Materia Medica and Therapeutics. By CHARLES D. F. PHILLIPS, M.D., F.R.S. Edin., late Lecturer on Materia Medica and Therapeutics at the Westminster Hospital Medical School.

Vol. 1—Vegetable Kingdom. 8vo, 15s.

Vol. 2—Inorganic Substances. 8vo, 21s.

Binz's Elements of Therapeutics: A Clinical Guide to the Action of Drugs. Translated by E. I. SPARKS, M.B., F.R.C.P. Crown 8vo, 8s. 6d.

Materia Medica.

A Manual for the use of Students. By ISAMBARD OWEN, M.D., Lecturer on Materia Medica, &c., to St. George's Hospital. Crown 8vo, 6s.

The Pharmacopœia of the London Hospital. Compiled under the direction of a Committee appointed by the Hospital Medical Council. Fcap. 8vo, 3s.

A Companion to the British Pharmacopœia. By PETER SQUIRE, F.L.S., assisted by his Sons, P. W. and A. H. SQUIRE. 13th Edition. 8vo, 10s. 6d.

By the same Authors.

The Pharmacopœias of the London Hospitals, arranged in Groups for Easy Reference and Comparison. Fifth Edition. 18mo. [*In the Press.*]

Bazaar Medicines of India,

And Common Medical Plants: With Full Index of Diseases, indicating their Treatment by these and other Agents procurable throughout India, &c. By E. J. WARING, C.I.E., M.D., F.R.C.P. Fourth Edition. Fcap. 8vo, 5s.

Tropical Dysentery and Chronic Diarrhœa—Liver Abscess—Malarial Cachexia—Insolation—with other forms of Tropical Diseases, &c. By Sir JOSEPH FAYRER, K.C.S.I., M.D. 8vo, 15s.

By the same Author.

Climate and Fevers of India, with a series of Cases (Croonian Lectures, 1882). 8vo, with 17 Temperature Charts, 12s.

Family Medicine for India.

A Manual. By WILLIAM J. MOORE, M.D., C.I.E., Honorary Surgeon to the Viceroy of India. Published under the Authority of the Government of India. Fourth Edition. Post 8vo, with 64 Engravings, 12s.

By the same Author.

Health-Resorts for Tropical Invalids, in India, at Home, and Abroad. Post 8vo, 5s.

Spirillum Fever

(Synonyms, Famine or Relapsing Fever), as seen in Western India. By H. VAN DYKE CARTER, M.D., Surgeon-Major I.M.D. 8vo, with Plates, 21s.

Diseases of Tropical Climates,

And their Treatment: With Hints for the Preservation of Health in the Tropics, By JAMES A. HORTON, M.D., Surgeon-Major. Second Edition. Post 8vo, 12s. 6d.

The Student's Guide to the Practice of Medicine.

By MATTHEW CHARTERIS, M.D., Professor of Materia Medica in the University of Glasgow. Third Edition. Fcap. 8vo, with Engravings on Copper and Wood, 7s.

Hooper's Physicians' Vade-Mecum.

A Manual of the Principles and Practice of Physic. Tenth Edition. By W. A. GUY, F.R.C.P., F.R.S., and J. HARLEY, M.D., F.R.C.P. With 118 Engravings. Fcap. 8vo, 12s. 6d.

Clinical Medicine:

Lectures and Essays. By BALTHAZAR FOSTER, M.D., F.R.C.P. Lond., Professor of Medicine in Queen's College, Birmingham. 8vo, 10s. 6d.

Clinical Lectures and Cases,

with Commentaries. By HENRY THOMPSON, M.D., F.R.C.P., Consulting Physician to Middlesex Hospital. With Temperature Charts. 8vo, 7s. 6d.

Clinical Medicine:

A Systematic Treatise on the Diagnosis and Treatment of Disease. By AUSTIN FLINT, M.D., Professor of Medicine in the Bellevue Hospital Medical College. 8vo, 20s.

By the same Author.

Phthisis:

In a series of Clinical Studies. 8vo, 16s.

The Student's Guide to Medical

Diagnosis. By SAMUEL FENWICK, M.D., F.R.C.P., Physician to the London Hospital. Fifth Edition. Fcap. 8vo, with 111 Engravings, 7s.

By the same Author.

The Student's Outlines of Medical Treatment.

Second Edition. Fcap. 8vo, 7s.

Also.

On Chronic Atrophy of the

Stomach, and on the Nervous Affections of the Digestive Organs. 8vo, 8s.

How to Examine the Chest:

Being a Practical Guide for the use of Students. By SAMUEL WEST, M.D., Physician to the City of London Hospital for Diseases of the Chest; Medical Tutor and Registrar at St. Bartholomew's Hospital. With 42 Engravings. Fcap. 8vo, 5s.

The Student's Guide to Medical

Case-Taking. By FRANCIS WARNER, M.D., F.R.C.P., Assistant Physician to the London Hospital. Second edition. Fcap. 8vo, 5s.

The Microscope in Medicine.

By LIONEL S. BEALE, M.B., F.R.S., Physician to King's College Hospital. Fourth Edition. 8vo, with 86 Plates, 21s.

Also.

On Slight Ailments:

Their Nature and Treatment. Second Edition. 8vo, 5s.

The Spectroscope in Medicine.

By CHARLES A. MACMUNN, B.A., M.D. 8vo, with 3 Chromo-lithographic Plates of Physiological and Pathological Spectra, and 13 Engravings, 9s.

The Contagiousness of Pulmonary Consumption, and its Anti-septic Treatment.

By J. BURNEY YEO, M.D., Physician to King's College Hospital. Crown 8vo, 3s. 6d.

Diseases of the Chest:

Contributions to their Clinical History, Pathology, and Treatment. By A. T. HOUGHTON WATERS, M.D., Physician to the Liverpool Royal Infirmary. Second Edition. 8vo, with Plates, 15s.

The Operative Treatment of Intra-thoracic Effusion.

Fothergillian Prize Essay. By NORMAN PORRITT, L.R.C.P. Lond., M.R.C.S., late Senior Assistant House-Surgeon, General Infirmary, Leeds; and Senior House-Surgeon, Infirmary, Huddersfield. With Engravings. Crown 8vo, 6s.

Winter Cough

(Catarrh, Bronchitis, Emphysema, Asthma). By HORACE DOBELL, M.D., Consulting Physician to the Royal Hospital for Diseases of the Chest. Third Edition. 8vo, with Coloured Plates, 10s. 6d.

By the same Author.

Loss of Weight, Blood-Spitting,

and Lung Disease. Second Edition, to which is added Part VI., "On the Functions and Diseases of the Liver." 8vo, with Chromo-lithograph, 10s. 6d.

Also.

The Mont Dore Cure, and the

Proper Way to Use it. 8vo, 7s. 6d.

Croonian Lectures on Some

Points in the Pathology and Treatment of Typhoid Fever. By WILLIAM CAYLEY, M.D., F.R.C.P., Physician to the Middlesex and the London Fever Hospitals. Crown 8vo, 4s. 6d.

Diseases of the Heart and Aorta:

Clinical Lectures. By G. W. BALFOUR, M.D., F.R.C.P., F.R.S. Edin., late Senior Physician and Lecturer on Clinical Medicine, Royal Infirmary, Edinburgh. Second Edition. 8vo, with Chromo-lithograph and Wood Engravings, 12s. 6d.

Notes on Asthma :

Its Forms and Treatment. By JOHN C. THOROWGOOD, M.D., Physician to the Hospital for Diseases of the Chest. Third Edition. Crown 8vo, 4s. 6d.

Observations on the Treatment of nearly One Hundred Cases of Asthma. By T. L. PRIDHAM, M.R.C.S. Third Edition. 8vo, 2s. 6d.**Manual of the Physical Diagnosis of Diseases of the Heart,** including the use of the Sphygmograph and Cardiograph. By A. E. SANSOM, M.D., F.R.C.P., Assistant Physician to the London Hospital. Third Edition. Fcap. 8vo, with 48 Engravings, 7s. 6d.**Medical Ophthalmoscopy :**

A Manual and Atlas. By WILLIAM R. GOWERS, M.D., F.R.C.P., Assistant Professor of Clinical Medicine in University College, and Senior Assistant Physician to the Hospital. Second Edition, with Coloured Autotype and Lithographic Plates and Woodcuts. 8vo, 18s.

By the same Author.

Epilepsy, and other Chronic Convulsive Diseases : Their Causes, Symptoms, and Treatment. 8vo, 10s. 6d.

Also.

Pseudo-Hypertrophic Muscular Paralysis : A Clinical Lecture. 8vo, with Engravings and Plate, 3s. 6d.

Also.

The Diagnosis of Diseases of the Spinal Cord. Third Edition. 8vo, with Engravings, 4s. 6d.**Studies on Functional Nervous Disorders.** By C. HANDFIELD JONES, M.B., F.R.S., Physician to St. Mary's Hospital. Second Edition. 8vo, 18s.**Visceral Neuroses :**

Being the Gulstonian Lectures on Neuralgia of the Stomach, and Allied Disorders. By T. CLIFFORD ALLBUTT, M.A., M.D. Cantab., F.R.S., F.R.C.P., Consulting Physician to the Leeds General Infirmary. 8vo, 4s. 6d.

Nervous Diseases :

Their Description and Treatment. A Manual for Students and Practitioners of Medicine. By ALLEN M. HAMILTON, M.D., Physician at the Epileptic and Paralytic Hospital, New York. Second Edition. Royal 8vo, with 72 Engravings, 16s.

Nerve Vibration and Excitation, as Agents in the Treatment of Functional Disorder and Organic Disease. By J. MORTIMER GRANVILLE, M.D. 8vo, 5s.**Notes on Rheumatism.**

By JULIUS POLLOCK, M.D., F.R.C.P., Senior Physician to the Charing Cross Hospital. Second Edition. Fcap. 8vo, with Engravings, 3s. 6d.

Diseases of the Liver :

With and without Jaundice. By GEORGE HARLEY, M.D., F.R.C.P., F.R.S. 8vo, with 2 Plates and 36 Engravings, 21s.

Diseases of the Stomach :

The Varieties of Dyspepsia, their Diagnosis and Treatment. By S. O. HABERSHON, M.D., F.R.C.P. Third Edition. Crown 8vo, 5s.

By the same Author.

Pathology of the Pneumogastric Nerve : Being the Lumlaine Lectures for 1876. Post 8vo, 3s. 6d.

Also.

Diseases of the Abdomen,

Comprising those of the Stomach and other parts of the Alimentary Canal, Esophagus, Cæcum, Intestines, and Peritoneum. Third Edition. 8vo, with 5 Plates, 21s.

Gout, Rheumatism,

And the Allied Affections ; with a Chapter on Longevity and the Causes Antagonistic to it. By PETER HOOD, M.D. Second Edition. Crown 8vo, 10s. 6d.

Diseases of the Nervous System.

Clinical Lectures. By THOMAS BUZZARD, M.D., F.R.C.P., Physician to the National Hospital for the Paralysed and Epileptic. With Engravings, 8vo. 15s.

Diseases of the Nervous System.

Lectures delivered at Guy's Hospital. By SAMUEL WILKS, M.D., F.R.S. Second Edition. 8vo, 18s.

A Treatise on the Diseases of the Nervous System. By JAMES ROSS, M.D., F.R.C.P., Assistant Physician to the Manchester Royal Infirmary. Second Edition. 2 vols. 8vo, with Lithographs, Photographs, and 332 Woodcuts, 52s. 6d.**Fits :**

Diagnosis and Immediate Treatment of Cases of Insensibility and Convulsions. By JOHN H. WATERS, M.D., K.C.St.G.C., Surgeon to the C Division of Metropolitan Police. Crown 8vo, 4s.

Food and Dietetics,

Physiologically and Therapeutically Considered. By F. W. PAVY, M.D., F.R.S., Physician to Guy's Hospital. Second Edition. 8vo, 15s.

By the same Author.

Croonian Lectures on Certain Points connected with Diabetes. 8vo, 4s. 6d.**Imperfect Digestion :**

Its Causes and Treatment. By A. LEARED, M.D. Seventh Edition. Fcap. 8vo, 4s. 6d.

Headaches :

Their Nature, Causes, and Treatment. By W. H. DAY, M.D., Physician to the Samaritan Hospital. Third Edition. Crown 8vo, with Engravings, 6s. 6d.

On Megrim, Sick Headache, and some Allied Disorders: A Contribution to the Pathology of Nerve Storms. By E. LIVEING, M.D., F.R.C.P. 8vo, 15s.

Winter and Spring

On the Shores of the Mediterranean. By HENRY BENNET, M.D. Fifth Edition. Post 8vo, with numerous Plates, Maps, and Engravings, 12s. 6d.

By the same Author.

Treatment of Pulmonary Consumption by Hygiene, Climate, and Medicine. Third Edition. 8vo, 7s. 6d.

Also.

Nutrition in Health and Disease. Third (Library) Edition, 8vo, 5s.; Cheap Edition, fcap. 8vo, 2s. 6d.

The Riviera:

Sketches of the Health-Resorts of the Coast of France and Italy, from Hyères to Spezia: its Medical Aspect and Value, &c. By EDWARD I. SPARKS, M.B., F.R.C.P. Crown 8vo, 8s. 6d.

The Principal Southern and Swiss Health-Resorts: their Climate and Medical Aspect. By WILLIAM MARCET, M.D., F.R.C.P., F.R.S. With Illustrations. Crown 8vo, 7s. 6d.

Medical Guide to the Mineral Waters of France and its Wintering Stations. With a Special Map. By A. VINTRAS, M.D., Physician to the French Embassy, and to the French Hospital, London. Crown 8vo, 8s.

The Ocean as a Health-Resort: A Practical Handbook of the Sea, for the use of Tourists and Health-Seekers. By WILLIAM S. WILSON, L.R.C.P. Second Edition, with Chart of Ocean Routes, &c. Crown 8vo, 7s. 6d.

Principal Health-Resorts

Of Europe and Africa, and their Use in the Treatment of Chronic Diseases. By T. M. MADDEN, M.D. 8vo, 10s.

Handbook of Medical and Surgical Electricity. By HERBERT TIBBITS, M.D., F.R.C.P.E., Senior Physician to the West London Hospital for Paralysis and Epilepsy. Second Edition. 8vo, with 95 Engravings, 9s.

By the same Author.

A Map of Ziemssen's Motor Points of the Human Body: A Guide to Localised Electrification. Mounted on Rollers, 35 x 21. With 20 Illustrations, 5s.

Mechanical Exercise a Means of Cure: Being a Description of the Zander Institute, London; its History, Appliances, Scope, and Object. Edited by the Medical Officer of the Institution. Crown 8vo, with 24 Engravings, 2s. 6d.

Ambulance Handbook for Volunteers and Others. By J. ARDAVON RAYE, L.K. & Q.C.P.I., L.R.C.S.I., late Surgeon to H.B.M. Transport No. 14, Zulu Campaign, and Surgeon E.I.R. Rifles. 8vo, with 16 Plates (50 figures), 3s. 6d.

A System of Practical Surgery. By Sir W. FERGUSSON, Bart., F.R.S. Fifth Edition. 8vo, with 463 Engravings, 21s.

Surgical Emergencies:

Together with the Emergencies Attendant on Parturition and the Treatment of Poisoning. By PAUL SWAIN, F.R.C.S., Surgeon to the South Devon and East Cornwall Hospital. Third Edition. Crown 8vo, with 117 Engravings, 5s.

A Course of Operative Surgery.

By CHRISTOPHER HEATH, Surgeon to University College Hospital. Second Edition. With 20 coloured Plates (180 figures) from Nature, by M. LÉVEILLÉ, and several Woodcuts. Large 8vo, 30s.

By the same Author.

The Student's Guide to Surgical Diagnosis. Second Edition. Fcap. 8vo, 6s. 6d.

Also.

Manual of Minor Surgery and Bandaging. For the use of House-Surgeons, Dressers, and Junior Practitioners. Seventh Edition. Fcap. 8vo, with 129 Engravings, 6s.

Also.

Injuries and Diseases of the Jaws. Third Edition. 8vo, with Plate and 206 Wood Engravings, 14s.

Outlines of Surgery and Surgical Pathology. By F. LE GROS CLARK, F.R.S., assisted by W. W. WAGSTAFFE, F.R.C.S. Second Edition. 8vo, 10s. 6d.

Regional Surgery:

Including Surgical Diagnosis. A Manual for the use of Students. By F. A. SOUTHAM, M.A., M.B., F.R.C.S., Assistant Surgeon to the Manchester Royal Infirmary. Part I. The Head and Neck. Crown 8vo, 6s. 6d. — Part II. The Upper Extremity and Thorax. Crown 8vo, 7s. 6d.

Surgical Enquiries:

Including the Hastings Essay on Shock, the Treatment of Inflammations, and numerous Clinical Lectures. By FURNEAUX JORDAN, F.R.C.S., Professor of Surgery, Queen's College, Birmingham. Second Edition, with numerous Plates. Royal 8vo, 12s. 6d.

On Dislocations and Fractures.

By JOSEPH MACLISE, F.R.C.S. Uniform with "Surgical Anatomy." 36 folio Plates and Text. Cloth, £2 10s.

The Practice of Surgery :

A Manual. By THOMAS BRYANT, Surgeon to Guy's Hospital. Fourth Edition. 2 vols. crown 8vo, with 750 Engravings (many being coloured), and including 6 chromo-lithographic plates, 32s.

The Surgeon's Vade-Mecum :

A Manual of Modern Surgery. By ROBERT DRUITT, F.R.C.S. Eleventh Edition. Fcap. 8vo, with 369 Engravings, 14s.

Illustrations of Clinical Surgery.

By JONATHAN HUTCHINSON, F.R.S., Senior Surgeon to the London Hospital. In occasional fasciculi. I. to XVI., 6s. 6d. each. Fasciculi I. to X. bound, with Appendix and Index, £3 10s.

By the same Author.

Pedigree of Disease :

Being Six Lectures on Temperament, Idiosyncrasy, and Diathesis. 8vo, 5s.

Hernia :

A Practical Treatise. By JOSEPH H. WARREN, M.D. Second Edition. Roy. 8vo, with Plates and 82 Engravings, 21s.

By the same Author.

A Plea for the Cure of Rupture ;

or, The Pathology of the Subcutaneous Operation by Injection. 8vo, with Diagrams, 5s. 6d.

Treatment of Wounds and Fractures.

Clinical Lectures. By SAMPSON GAMGEE, F.R.S.E., Surgeon to the Queen's Hospital, Birmingham. Second Edition. 8vo, with 40 Engravings, 10s.

Fractures :

A Treatise. By LEWIS A. STIMSON, B.A., M.D., Professor of Surgical Pathology in the University of New York. 8vo, with 360 Engravings, 21s.

Injuries of the Spine and Spinal Cord, without Apparent Mechanical Lesion, and NERVOUS SHOCK, in their Surgical and Medico-Legal Aspects.

By HERBERT W. PAGE, M.A., M.C. Cantab., F.R.C.S., Surgeon to St. Mary's Hospital. 8vo, 12s. 6d.

Lectures on Orthopædic Surgery.

By BERNARD E. BRODHURST, F.R.C.S., Surgeon to the Royal Orthopædic Hospital. Second Edition. 8vo, with Engravings, 12s. 6d.

By the same Author.

On Anchylosis, and the Treatment for the Removal of Deformity and the Restoration of Mobility in Various Joints.

Fourth Edition. 8vo, with Engravings, 5s.

Also.

Curvatures and Diseases of the Spine.

Third Edition. 8vo, with Engravings, 6s.

Orthopædic Surgery,

And Diseases of the Joints. By L. A. SAYRE, M.D., Professor of Orthopædic Surgery in Bellevue Hospital Medical College. Second Edition. 8vo, with Coloured Plate and 324 Engravings, 21s.

Clubfoot :

Its Causes, Pathology, and Treatment. By WM. ADAMS, F.R.C.S., Surgeon to the Great Northern Hospital. Second Edition. 8vo, with 106 Engravings and 6 Lithographic Plates, 15s.

By the same Author.

On Contraction of the Fingers,

and its Treatment by Subcutaneous Operation ; and on Obliteration of Depressed Cicatrices, by the same Method. 8vo, with 30 Engravings, 4s. 6d.

Also.

Lateral and other Forms of

Curvature of the Spine : Their Pathology and Treatment. Second Edition. 8vo, with 5 Lithographic Plates and 72 Wood Engravings, 10s. 6d.

Spinal Curvatures :

Treatment by Extension and Jacket ; with Remarks on some Affections of the Hip, Knee, and Ankle-joints. By H. MACNAUGHTON JONES, M.D., F.R.C.S.I. and Edin. Post 8vo, with 63 Engravings, 4s. 6d.

The Orthopragms of the Spine :

Curative Mechanisms applicable to Spinal Curvature, &c. By R. HEATHER BIGG, Assoc. Inst. C.E. 8vo, with Engravings, 5s.

On Diseases and Injuries of the Eye :

A Course of Systematic and Clinical Lectures to Students and Medical Practitioners. By J. R. WOLFE, M.D., F.R.C.S.E., Lecturer on Ophthalmic Medicine and Surgery in Anderson's College, Glasgow. With 10 Coloured Plates and 157 Wood Engravings. 8vo, £1 1s.

The General Practitioner's

Guide to the Diseases and Injuries of the Eye and Eyelids. By LOUIS H. TOSSWILL, B.A., M.B. Cantab., M.R.C.S., Surgeon to the Exeter Eye Infirmary. Fcap. 8vo, 2s. 6d.

Hints on Ophthalmic Out-Patient

Practice. By CHARLES HIGGENS, Ophthalmic Surgeon to Guy's Hospital. Second Edition. Fcap. 8vo, 3s.

Essays in Ophthalmology.

By GEORGE E. WALKER, F.R.C.S., Surgeon to St. Paul's Eye and Ear Hospital, &c., Liverpool. Post 8vo, 6s.

The Electro-Magnet,

And its Employment in Ophthalmic Surgery. By SIMEON SNELL, Ophthalmic Surgeon to the Sheffield General Infirmary, &c. Crown 8vo, 3s. 6d.

The Student's Guide to Diseases of the Eye. By EDWARD NETTLESHIP, F.R.C.S., Ophthalmic Surgeon to St. Thomas's Hospital. Third Edition. Fcap. 8vo, with 150 Engravings and a Set of Coloured Papers illustrating Colour-Blindness, 7s. 6d.

A Manual of the Principles and Practice of Ophthalmic Medicine and Surgery. By T. WHARTON JONES, F.R.C.S., F.R.S. Third Edition. Fcap. 8vo, with 9 Coloured Plates and 173 Engravings, 12s. 6d.

Glaucoma :

Its Causes, Symptoms, Pathology, and Treatment. By PRIESTLEY SMITH, M.R.C.S., Ophthalmic Surgeon to the Queen's Hospital, Birmingham. 8vo, with Lithographic Plates, 10s. 6d.

Refraction of the Eye :

A Manual for Students. By GUSTAVUS HARTRIDGE, F.R.C.S., Assistant Physician to the Royal Westminster Ophthalmic Hospital. Crown 8vo, with Lithographic Plate and 84 Woodcuts, 5s.

Hare-Lip and Cleft Palate.

By FRANCIS MASON, F.R.C.S., Surgeon to St. Thomas's Hospital. 8vo, with 66 Engravings, 6s.

By the same Author.

The Surgery of the Face.

8vo, with 100 Engravings, 7s. 6d.

A Practical Treatise on Aural Surgery.

By H. MACNAUGHTON JONES, M.D., Professor of the Queen's University in Ireland, late Surgeon to the Cork Ophthalmic and Aural Hospital. Second Edition. Crown 8vo, with 63 Engravings, 8s. 6d.

By the same Author.

Atlas of Diseases of the Membrana Tympani. In Coloured Plates, containing 62 Figures, with Text. Crown 4to, 21s.

Diseases and Injuries of the Ear.

By W. B. DALBY, F.R.C.S., Aural Surgeon to St. George's Hospital. Second Edition. Fcap. 8vo, with Engravings, 6s. 6d.

Lectures on Syphilis of the Larynx

(Lesions of the Secondary and Intermediate Stages). By W. M. WHISTLER, M.D., Physician to the Hospital for Diseases of the Throat. Post 8vo, 4s.

Diphtheria :

By PETER EADE, M.D., F.R.C.P., Senior Physician to the Norfolk and Norwich Hospital. 8vo, 3s.

Diseases of the Throat and

Nose : A Manual. By MORELL MACKENZIE, M.D. Lond., Senior Physician to the Hospital for Diseases of the Throat. Vol. I. Diseases of the Pharynx, Larynx, and Trachea. Post 8vo, with 112 Engravings, 12s. 6d.

Vol. II. Diseases of the Nose and Nasopharynx; with a Section on Diseases of the Oesophagus. Post 8vo, with 93 Engravings, 12s. 6d.

By the same Author.

Diphtheria :

Its Nature and Treatment, Varieties, and Local Expressions. 8vo, 5s.

Sore Throat :

Its Nature, Varieties, and Treatment. By PROSSER JAMES, M.D., Physician to the Hospital for Diseases of the Throat. Fourth Edition. Post 8vo, with Coloured Plates and Engravings, 6s. 6d.

The Ear :

Its Anatomy, Physiology, and Diseases. By C. H. BURNETT, A.M., M.D., Aural Surgeon to the Presbyterian Hospital, Philadelphia. 8vo, with 87 Engravings, 18s.

A Treatise on Vocal Physiology and Hygiene,

with especial reference to the Cultivation and Preservation of the Voice. By GORDON HOLMES, M.D., Physician to the Municipal Throat and Ear Infirmary. Second Edition, with Engravings. Crown 8vo, 6s. 6d.

By the same Author.

A Guide to the Use of the Laryngoscope in General Practice. Crown 8vo, with Engravings, 2s. 6d.

A System of Dental Surgery.

By JOHN TOMES, F.R.S., and C. S. TOMES, M.A., F.R.S. Third Edition. Fcap. 8vo, with many Engravings.

[In the Press.]

Dental Anatomy, Human and

Comparative: A Manual. By CHARLES S. TOMES, M.A., F.R.S. Second Edition. Crown 8vo, with 191 Engravings, 12s. 6d.

The Student's Guide to Dental

Anatomy and Surgery. By HENRY SEWILL, M.R.C.S., L.D.S. Second Edition. Fcap. 8vo, with 78 Engravings, 5s. 6d.

A Manual of Dental Mechanics.

By OAKLEY COLES, L.D.S.R.C.S. Second Edition. Crown 8vo, with 140 Engravings, 7s. 6d.

By the same Author.

Deformities of the Mouth.

Third Edition. 8vo, with 83 Wood Engravings and 96 Drawings on Stone, 12s. 6d.

Mechanical Dentistry in Gold

and Vulcanite. By F. H. BALKWILL, L.D.S.R.C.S. 8vo, with 2 Lithographic Plates and 57 Engravings, 10s.

Notes on Dental Practice. By HENRY C. QUINBY, L.D.S.R.C.S.I. 8vo, with 87 Engravings, 9s.

Elements of Dental Materia Medica and Therapeutics, with Pharmacopœia. By JAMES STOCKEN, L.D.S.R.C.S., Pereira Prizeman for Materia Medica, and THOMAS GADDES, L.D.S. Eng. and Edin. Third Edition. Fcap. 8vo, 7s. 6d.

Dental Medicine :

A Manual of Dental Materia Medica and Therapeutics. By F. J. S. GORGAS, A.M., M.D., D.D.S., Editor of "Harris's Principles and Practice of Dentistry," Professor in the Dental Department of Maryland University. 8vo, 14s.

Lectures on Dermatology :

Delivered at the Royal College of Surgeons, by Sir ERASMUS WILSON, F.R.S. 1870, 6s.; 1871-73, 10s. 6d.; 1874-75, 10s. 6d.; 1876-78, 10s. 6d.

Eczema.

By MCCALL ANDERSON, M.D., Professor of Clinical Medicine in the University of Glasgow. Third Edition. 8vo, with Engravings, 7s. 6d.

Diseases of the Skin :

With an Analysis of 8,000 Consecutive Cases and a Formulary. By L. D. BULKLEY, M.D., Physician for Skin Diseases at the New York Hospital. Crown 8vo, 6s. 6d.

Atlas of Skin Diseases.

By TILBURY FOX, M.D., F.R.C.P. With 72 Coloured Plates. Royal 4to, half morocco, £6 6s.

On Certain Rare Diseases of the Skin. By JONATHAN HUTCHINSON, F.R.S., Senior Surgeon to the London Hospital, and to the Hospital for Diseases of the Skin. 8vo, 10s. 6d.

Diseases of the Skin :

A Practical Treatise for the Use of Students and Practitioners. By J. N. HYDE, A.M., M.D., Professor of Skin and Venereal Diseases, Rush Medical College, Chicago. 8vo, with 66 Engravings, 17s.

Parasites :

A Treatise on the Entozoa of Man and Animals, including some Account of the Ectozoa. By T. SPENCER COBBOLD, M.D., F.R.S. 8vo, with 85 Engravings, 15s.

Leprosy in British Guiana.

By JOHN D. HILLIS, F.R.C.S., M.R.I.A., Medical Superintendent of the Leper Asylum, British Guiana. Imp. 8vo, with 22 Lithographic Coloured Plates and Wood Engravings, £1 11s. 6d.

Certain Forms of Cancer,

With a New and Successful Mode of Treating it. By A. MARSDEN, Senior Surgeon to the Cancer Hospital. Second Edition. 8vo, with Coloured Plates, 8s. 6d.

Cancer of the Breast.

By THOMAS W. NUNN, F.R.C.S., Consulting Surgeon to the Middlesex Hospital. 4to, with 21 Coloured Plates, £2 2s.

On Cancer :

Its Allies, and other Tumours; with special reference to their Medical and Surgical Treatment. By F. A. PURCELL, M.D., M.C., Surgeon to the Cancer Hospital, Brompton. 8vo, with 21 Engravings, 10s. 6d.

Sarcoma and Carcinoma :

Their Pathology, Diagnosis, and Treatment. By HENRY T. BUTLIN, F.R.C.S., Assistant Surgeon to St. Bartholomew's Hospital. 8vo, with 4 Plates, 8s.

By the same Author.

Malignant Disease of the Larynx (Sarcoma and Carcinoma). 8vo, with 5 Engravings, 5s.

Clinical Notes on Cancer,

Its Etiology and Treatment; with special reference to the Heredity-Fallacy, and to the Neurotic Origin of most Cases of Alveolar Carcinoma. By HERBERT L. SNOW, M.D. Lond., Surgeon to the Cancer Hospital, Brompton. Crown 8vo, 3s. 6d.

Diseases of the Urinary Organs.

Clinical Lectures. By Sir HENRY THOMPSON, F.R.C.S., Emeritus Professor of Clinical Surgery in University College. Seventh (Students') Edition. 8vo, with 84 Engravings, 2s. 6d.

By the same Author.

Diseases of the Prostate :

Their Pathology and Treatment. Fifth (Students') Edition. 8vo, with numerous Engravings, 2s. 6d.

Also.

Surgery of the Urinary Organs.

Some Important points connected therewith. Lectures delivered in the R.C.S. 8vo, with 44 Engravings. Students' Edition, 2s. 6d.

Also.

Practical Lithotomy and Lithotripsy; or, An Inquiry into the Best Modes of Removing Stone from the Bladder. Third Edition. 8vo, with 87 Engravings, 10s.

Also.

The Preventive Treatment of Calculous Disease, and the Use of Solvent Remedies. Second Edition Fcap. 8vo, 2s. 6d.

Also.

Tumours of the Bladder :

Their Nature, Symptoms, and Surgical Treatment. 8vo, with numerous Illustrations, 5s.

Diseases of the Testis, Spermatatic Cord, and Scrotum. By THOMAS B. CURLING, F.R.S., Consulting Surgeon to the London Hospital. Fourth Edition. 8vo, with Engravings, 16s.

Hæmorrhoidal Disorder.

By JOHN GAY, F.R.C.S., Senior Surgeon to the Great Northern Hospital. 8vo, with Engravings, 2s. 6d.

Hydrocele :

Its several Varieties and their Treatment. By SAMUEL OSBORN, late Surgical Registrar to St. Thomas's Hospital. Fcap. 8vo, with Engravings, 3s.

By the same Author.

Diseases of the Testis.

Fcap. 8vo, with Engravings, 3s. 6d.

Lithotomy and Extraction of

Stone. By W. P. HARRIS, M.D., Surgeon-Major H.M. Bengal Medical Service. 8vo, with Engravings, 10s. 6d.

Fistula, Hæmorrhoids, Painful

Ulcer, Stricture, Prolapsus, and other Diseases of the Rectum : Their Diagnosis and Treatment. By WILLIAM ALLINGHAM, Surgeon to St. Mark's Hospital for Fistula. Fourth Edition. 8vo, with Engravings, 10s. 6d.

The Surgery of the Rectum.

By HENRY SMITH, Professor of Surgery in King's College, Surgeon to the Hospital. Fifth Edition. 8vo, 6s.

Diseases of the Rectum and

Anus. By W. HARRISON CRIPPS, F.R.C.S., Assistant Surgeon to St. Bartholomew's Hospital, &c. 8vo, with 13 Lithographic Plates and numerous Wood Engravings, 12s. 6d.

By the same Author.

Cancer of the Rectum :

Its Pathology, Diagnosis, and Treatment. Crown 8vo, with Lithographic Plates, 6s.

Lectures on the Surgical Disorders of the Urinary Organs.

By REGINALD HARRISON, F.R.C.S., Surgeon to the Liverpool Royal Infirmary. Second Edition, with 48 Engravings. 8vo, 12s. 6d.

By the same Author.

Lithotomy, Lithotrixy, and the

Early Detection of Stone in the Bladder ; with a description of a New Method of Tapping the Bladder. 8vo, with Engravings, 2s. 6d.

Morbid Conditions of the Urine,

Dependent upon Derangements of Digestion. By CHARLES H. RALFE, M.D., F.R.C.P., Assistant Physician to the London Hospital. Crown 8vo, 6s.

Pathology of the Urine.

Including a Complete Guide to its Analysis. By J. L. W. THUDICHUM, M.D., F.R.C.P. Second Edition, rewritten and enlarged. 8vo, with Engravings, 15s.

Student's Primer on the Urine.

By J. TRAVIS WHITTAKER, M.D., Clinical Demonstrator at the Royal Infirmary, Glasgow. With 16 Plates etched on Copper. Post 8vo, 4s. 6d.

Syphilis and Pseudo-syphilis.

By ALFRED COOPER, F.R.C.S., Surgeon to the Lock Hospital, to St. Mark's and the West London Hospitals. 8vo, 10s. 6d.

Renal and Urinary Diseases.

Clinical Reports. By WILLIAM CARTER, M.B., Physician to the Liverpool Southern Hospital. Crown 8vo, 7s. 6d.

Genito-Urinary Organs, includ-

ing Syphilis : A Practical Treatise on their Surgical Diseases, for Students and Practitioners. By W. H. VAN BUREN, M.D., and E. L. KEYES, M.D. Royal 8vo, with 140 Engravings, 21s.

Lectures on Syphilis.

By HENRY LEE, Consulting Surgeon to St. George's Hospital. 8vo, 10s.

Urinary and Reproductive Or-

gans : Their Functional Diseases. By D. CAMPBELL BLACK, M.D. Second Edition. 8vo, 10s.

Coulson on Diseases of the

Bladder and Prostate Gland. Sixth Edition. By WALTER J. COULSON, Surgeon to the Lock Hospital and to St. Peter's Hospital for Stone. 8vo, 16s.

On Rupture of the Urinary Blad-

der. Based on the Records of more than 300 Cases of the Affection. By WALTER RIVINGTON, F.R.C.S., President of the Hunterian Society ; Surgeon to the London Hospital. 8vo, 5s. 6d.

The Reproductive Organs

In Childhood, Youth, Adult Age, and Advanced Life, considered in their Physiological, Social, and Moral Relations. By WILLIAM ACTON, M.R.C.S. Sixth Edition. 8vo, 12s.

The Medical Adviser in Life

Assurance. By E. H. SIEVEKING, M.D., F.R.C.P. Second Edition. Crown 8vo, 6s.

A Medical Vocabulary :

An Explanation of all Terms and Phrases used in the various Departments of Medical Science and Practice, their Derivation, Meaning, Application, and Pronunciation. By R. G. MAYNE, M.D., LL.D. Fifth Edition. Fcap. 8vo, 10s. 6d.

A Dictionary of Medical Science:

Containing a concise Explanation of the various Subjects and Terms of Medicine, &c. By ROBLEY DUNGLISON, M.D., LL.D. New Edition. Royal 8vo, 28s.

Abridged Medical Account

Books. The "Expedite" Method. By J. MACNAB, L.R.C.S.E. *Index Ledger*. Royal 4to., 15s. *Visiting List*. Cloth, 2s. 6d. ; Leather, 3s. 6d.

Medical Education

And Practice in all parts of the World. By H. J. HARDWICKE, M.D., M.R.C.P. 8vo, 10s.

INDEX.

- Acton's Reproductive Organs, 14
 Adams (W.) on Clubfoot, 11
 — on Contraction of the Fingers, 11
 — on Curvature of the Spine, 11
 Alexander's Displacements of the Uterus, 6
 Allan on Fever Nursing, 7
 Allbutt's Visceral Neuroses, 9
 Allingham on Diseases of the Rectum, 14
 Anatomical Remembrancer, 3
 Anderson (McC.) on Eczema, 13
 Aveling on the Chamberlens and Midwifery Forceps, 6
 — on the Influence of Posture on Women, 6
 Balfour's Diseases of the Heart and Aorta, 8
 Balkwill's Mechanical Dentistry, 12
 Barnes (E. G.) How to Arrest Infectious Diseases, 4
 Barnes (R.) on Obstetric Operations, 5
 — on Diseases of Women, 5
 Beale's Microscope in Medicine, 8
 — Slight Ailments, 8
 Bellamy's Surgical Anatomy, 3
 Bennet (J. H.) on the Mediterranean, 10
 — on Pulmonary Consumption, 10
 — on Nutrition, 10
 Bentley and Trimen's Medicinal Plants, 7
 Bentley's Manual of Botany, 7
 — Structural Botany, 7
 — Systematic Botany, 7
 Bigg (R. H.) on the Orthopragms of Spine, 11
 Binz's Elements of Therapeutics, 7
 Black on the Urinary Organs, 14
 Braune's Topographical Anatomy, 3
 Brodhurst's Anchylosis, 11
 — Curvatures, &c., of the Spine, 11
 — Orthopædic Surgery, 11
 Bryant's Practice of Surgery, 11
 Bucknill and Tuke's Psychological Medicine, 5
 Bulkley's Eczema, 13
 Burdett's Cottage Hospitals, 5
 — Pay Hospitals, 5
 Burnett on the Ear, 12
 Burton's Midwifery for Midwives, 5
 Butlin's Malignant Disease of the Larynx, 13
 — Sarcoma and Carcinoma, 13
 Buzzard's Diseases of the Nervous System, 9
 Carpenter's Human Physiology, 4
 Carter (H. V.) on Spirillum Fever, 8
 Carter (W.) on Renal and Urinary Diseases, 14
 Cayley's Typhoid Fever, 8
 Charteris' Practice of Medicine, 8
 Clark's Outlines of Surgery, 10
 Clay's (C.) Obstetric Surgery, 6
 Clouston's Lectures on Mental Diseases, 5
 Cobbold on Parasites, 13
 Coles' Dental Mechanics, 12
 — Deformities of the Mouth, 12
 Cooper's Syphilis and Pseudo-Syphilis, 14
 Coulson on Diseases of the Bladder, 14
 Courty's Diseases of the Uterus, Ovaries, &c., 6
 Cripps' Cancer of the Rectum, 14
 — Diseases of the Rectum and Anus, 14
 Cullingworth's Manual of Nursing, 7
 — Short Manual for Monthly Nurses, 7
 Curling's Diseases of the Testis, 13
 Dalby's Diseases and Injuries of the Ear, 12
 Dalton's Human Physiology, 4
 Day on Diseases of Children, 7
 — on Headaches, 9
 Dobell's Lectures on Winter Cough, 8
 — Loss of Weight, &c., 8
 — Mont Dore Cure, 8
 Domville's Manual for Nurses, 7
 Druitt's Surgeon's Vade-Mecum, 11
 Duncan on Diseases of Women, 5
 — on Sterility in Woman, 5
 Dunglison's Medical Dictionary, 14
 Eade on Diphtheria, 12
 Ellis's Manual for Mothers, 6
 — of the Diseases of Children, 6
 Emmet's Gynaecology, 6
 Fayer's Climate and Fevers of India, 7
 — Tropical Dysentery and Diarrhea, 7
 Fenwick's Chronic Atrophy of the Stomach, 4
 — Medical Diagnosis, 8
 — Outlines of Medical Treatment, 8
 Fergusson's Practical Surgery, 10
 Flint on Clinical Medicine, 8
 — on Phthisis, 8
 Flower's Diagrams of the Nerves, 4
 Foster's Clinical Medicine, 8
 Fox's (C. B.) Examinations of Water, Air, and Food, 4
 Fox's (T.) Atlas of Skin Diseases, 13
 Frey's Histology and Histo-Chemistry, 4
 Galabin's Diseases of Women, 6
 Gamgee's Treatment of Wounds and Fractures, 11
 Gay on Hæmorrhoidal Disorder, 14
 Godlee's Atlas of Human Anatomy, 3
 Gorgas' Dental Medicine, 13
 Gowers' Diseases of the Spinal Cord, 9
 — Epilepsy, 9
 — Medical Ophthalmoscopy, 9
 — Pseudo-Hypertrophic Muscular Paralysis, 9
 Granville on Nerve Vibration and Excitation, 9
 Habershon's Diseases of the Abdomen, 9
 — Stomach, 9
 — Pneumogastric Nerve, 9
 Hamilton's Nervous Diseases, 9
 Hardwicke's Medical Education, 14
 Harley on Diseases of the Liver, 9
 Harris on Lithotomy, 14
 Harrison's Lithotomy, Lithotripsy, &c., 14
 — Surgical Disorders of the Urinary Organs, 14
 Hartridge's Refraction of the Eye, 12
 Heath's Injuries and Diseases of the Jaws, 10
 — Minor Surgery and Bandaging, 10
 — Operative Surgery, 10
 — Practical Anatomy, 3
 — Surgical Diagnosis, 10
 Higgins' Ophthalmic Out-patient Practice, 11
 Hillis' Leprosy in British Guiana, 13
 Holden's Dissections, 3
 — Human Osteology, 3
 — Landmarks, 3
 Holmes' (G.) Guide to Use of Laryngoscopy, 12
 — Vocal Physiology and Hygiene, 12
 Hood on Gout, Rheumatism, &c., 9
 Hooper's Physician's Vade-Mecum, 8
 Horton's Tropical Diseases, 8
 Hutchinson's Clinical Surgery, 11
 — Pedigree of Disease, 11
 — Rare Diseases of the Skin, 13
 Huth's Marriage of Near Kin, 4
 Hyde's Diseases of the Skin, 13
 Ireland's Idiocy and Imbecility, 5
 James (P.) on Sore Throat, 12
 Jones (C. H.) Functional Nervous Disorders, 9
 Jones (C. H.) and Sieveking's Pathological Anatomy, 4
 Jones (H. McN.) Aural Surgery, 12
 — Atlas of Diseases of Membrana Tympani, 12
 — Spinal Curvatures, 11
 Jones (T. W.) Ophthalmic Medicine and Surgery, 12
 Jordan's Surgical Enquiries, 10
 Lancereaux's Atlas of Pathological Anatomy, 4
 Lee (H.) on Syphilis, 14
 Leared on Imperfect Digestion, 9
 Lewis (Bevan) on the Human Brain, 4
 Liveing's Megrim, Sick Headache, &c., 10
 Macdonald's (A.) Chronic Disease of the Heart, 6
 Macdonald's (J. D.) Examination of Water and Air, 4
 Mackenzie on Diphtheria, 12
 — on Diseases of the Throat and Nose, 12
 MacLise's Dislocations and Fractures, 10
 — Surgical Anatomy, 3
 MacMunn's Spectroscope in Medicine, 8
 Macnab's Medical Account Books, 14
 Madden's Principal Health-Resorts, 10
 Mann's Manual of Psychological Medicine, 5
 Marcelet's Southern and Swiss Health-Resorts, 10
 Marsden's Certain Forms of Cancer, 13
 Mason on Hare-Lip and Cleft Palate, 12
 — on Surgery of the Face, 12
 Mayne's Medical Vocabulary, 14
 — Notes on Poisons, 7
 — Therapeutical Remembrancer, 7
 Moore's Family Medicine for India, 7
 — Health-Resorts for Tropical Invalids, 7
 Morris' (H.) Anatomy of the Joints, 3
 Mout and Snell on Hospitals, 5
 Nettleship's Diseases of the Eye, 12
 Nunn's Cancer of the Breast, 13
 Ogston's Medical Jurisprudence, 4
 Oppert's Hospitals, Infirmarys, Dispensaries, &c., 5
 Osborn on Diseases of the Testis, 14
 — on Hydrocele, 14

[Continued on the next page]

- Owen's Materia Medica, 7
 Page's Injuries of the Spine, 11
 Parkes' Practical Hygiene, 5
 Pavy on Diabetes, 9
 — on Food and Dietetics, 9
 Pharmacopœia of the London Hospital, 7
 Phillips' Materia Medica and Therapeutics, 7
 Pollock on Rheumatism, 9
 Porritt's Intra-Thoracic Effusion, 8
 Pridham on Asthma, 9
 Purcell on Cancer, 13
 Quinby's Notes on Dental Practice, 13
 Ralfe's Morbid Conditions of the Urine, 14
 Ramsbotham's Obstetrics, 6
 Raye's Ambulance Handbook, 10
 Reynolds' (J. J.) Diseases of Women, 6
 — Notes on Midwifery, 6
 Rivington's Rupture of the Urinary Bladder, 14
 Roberts' (C.) Manual of Anthropometry, 5
 — Detection of Colour-Blindness, 5
 Roberts' (D. Lloyd) Practice of Midwifery, 5
 Ross's Diseases of the Nervous System, 9
 Roth on Dress: Its Sanitary Aspect, 4
 Routh's Infant Feeding, 7
 Royle and Harley's Materia Medica, 7
 Sanderson's Physiological Handbook, 4
 Sansom's Diseases of the Heart, 9
 Savage on the Female Pelvic Organs, 6
 Sayre's Orthopædic Surgery, 11
 Schroeder's Manual of Midwifery, 6
 Sewill's Dental Anatomy, 12
 Sheppard on Madness, 5
 Sibson's Medical Anatomy, 3
 Sieveking's Life Assurance, 14
 Smith's (E.) Clinical Studies, 6
 — Disease in Children, 6
 — Wasting Diseases of Infants and Children, 6
 Smith's (Henry) Surgery of the Rectum, 14
 Smith's (Heywood) Dysmenorrhœa, 6
 Smith (Priestley) on Glaucoma, 12
 Snell's Electro-Magnet in Ophthalmic Surgery, 11
 Snow's Clinical Notes on Cancer, 13
 Southam's Regional Surgery, 10
 Sparks on the Riviera, 10
 Squire's Companion to the Pharmacopœia, 7
 — Pharmacopœias of London Hospitals, 7
 Starkweather on the Law of Sex, 4
 Stillé and Maisch's National Dispensary, 7
 Stimson on Fractures, 11
 Stocken's Dental Materia Medica and Therapeutics, 13
 Swain's Surgical Emergencies, 10
 Swayne's Obstetric Aphorisms, 6
 Taylor's Medical Jurisprudence, 4
 — Poisons in relation to Medical Jurisprudence, 4
 Teale's Dangers to Health, 4
 Thompson's (Sir H.) Calculous Disease, 13
 — Diseases of the Prostate, 11
 — Diseases of the Urinary Organs, 13
 — Lithotomy and Lithotripsy, 11
 — Surgery of the Urinary Organs, 13
 — Tumours of the Bladder, 13
 Thompson's (Dr. H.) Clinical Lectures, 8
 Thorowgood on Asthma, 9
 — on Materia Medica and Therapeutics, 7
 Thudichum's Pathology of the Urine, 14
 Tibbitts' Medical and Surgical Electricity, 10
 — Map of Motor Points, 10
 Tidy and Woodman's Forensic Medicine, 4
 Tilt's Change of Life, 6
 — Uterine Therapeutics, 6
 Tomes' (C. S.) Dental Anatomy, 12
 Tomes' (J. and C. S.) Dental Surgery, 12
 Tooswill's Diseases and Injuries of the Eye, 11
 Tuke's Influence of the Mind upon the Body, 5
 — Sleep-Walking and Hypnotism, 5
 Van Buren on the Genito-Urinary Organs, 14
 Vintras on the Mineral Waters, &c., of France, 10
 Virchow's Post-mortem Examinations, 4
 Wagstaffe's Human Osteology, 3
 Walker's Ophthalmology, 11
 Waring's Indian Bazaar Medicines, 7
 Warner's Guide to Medical Case-Taking, 8
 Warren's Hernia and Rupture, 11
 Waters' (A. T. H.) Diseases of the Chest, 8
 Waters' (J. H.) on Fits, 9
 Wells (Spencer) on Ovarian and Uterine Tumours, 6
 West and Duncan's Diseases of Women, 6
 West (S.) How to Examine the Chest, 8
 Whistler's Syphilis of the Larynx, 12
 Whittaker's Primer on the Urine, 14
 Wilks' Diseases of the Nervous System, 9
 Wilks and Moxon's Pathological Anatomy, 4
 Wilson's (Sir E.) Anatomists' Vade-Mecum, 3
 — Lectures on Dermatology, 13
 Wilson's (G.) Handbook of Hygiene, 5
 — Healthy Life and Dwellings, 5
 Wilson's (W. S.) Ocean as a Health-Resort, 10
 Wolfe's Diseases and Injuries of the Eye, 11
 Yeo's (G. F.) Manual of Physiology, 4
 Yeo's (J. B.) Contagiousness of Pulmonary Consumption, 8
 Zander Institute Mechanical Exercises, 10

The following CATALOGUES issued by J. & A. CHURCHILL will be forwarded post free on application:—

A. J. & A. Churchill's General List of about 650 works on Anatomy, Physiology, Hygiene, Midwifery, Materia Medica, Medicine, Surgery, Chemistry, Botany, &c., &c., with a complete Index to their Subjects, for easy reference.
 N.B.—This List includes B, C, & D.

B. Selection from J. & A. Churchill's General List, comprising all recent Works published by them on the Art and Science of Medicine.

C. J. & A. Churchill's Catalogue of Text Books specially arranged for Students.


D. A selected and descriptive List of J. & A. Churchill's Works on Chemistry, Materia Medica, Pharmacy, Botany, Photography, Zoology, the Microscope, and other branches of Science.

E. The Half-yearly List of New Works and New Editions published by J. & A. Churchill during the previous six months, together with particulars of the Periodicals issued from their House.

[Sent in January and July of each year to every Medical Practitioner in the United Kingdom whose name and address can be ascertained. A large number are also sent to the United States of America, Continental Europe, India, and the Colonies.]

AMERICA.—J. & A. Churchill being in constant communication with various publishing houses in Boston, New York, and Philadelphia, are able, notwithstanding the absence of international copyright, to conduct negotiations favourable to English Authors.

LONDON: NEW BURLINGTON STREET.



LANE MEDICAL LIBRARY

To avoid fine, this book should be returned on
or before the date last stamped below.

DEC 10 1973

L295 Allbutt, T.C. 10115
A42 Clinical lectures on
1885 scrofulous neck

NAME

DATE DUE

El Camino School

DEC 10 1973

